

AUTHOR INDEX

VOLUMES 17–45

1981–2009

This index lists, alphabetically by surname, all authors of feature articles, Notes and New Techniques, Rapid Communications, and editorials that appeared in the 1981 through 2009 issues of *Gems & Gemology*, together with the full title of the article, the specific issue (“Sp” for Spring, “Su” for Summer, “F” for Fall, and “W” for Winter, followed by two digits for the year), and the inclusive page numbers. Full citation is given under the first author only; co-authors are listed separately and cross-referenced to first authors. Also included are presenters whose abstracts were published in the Fall 1999 (F99) issue and Fall 2006 (F06) issues, the proceedings of the Third and Fourth International Gemological Symposia, respectively.

A

- Abbaschian R., see Shigley J.E.
Abduriyim A.: Applications of LA-ICP-MS (laser ablation–inductively coupled plasma–mass spectrometry) to the gemological field, F06:87-88
Abduriyim A., Kimura H., Yokoyama Y., Nakazono H., Wakatsuki M., Shimizu T., Tansho M., Ohki S.: Characterization of “green amber” with infrared and nuclear magnetic resonance spectroscopy, F09:158-177
Abduriyim A., Kitawaki H.: Applications of laser ablation–inductively coupled plasma–mass spectrometry (LA-ICP-MS) to gemology, Su06:98-118
Abduriyim A., Kitawaki H., Furuya M., Schwarz D.: Paraíba-type copper-bearing tourmaline from Brazil, Nigeria, and Mozambique: Chemical fingerprinting by LA-ICP-MS, Sp06:4-21
Abduriyim A., see also Kitawaki H.
Abraham J.S.D.: Heat treating corundum: The Bangkok operation, Su82:79-82
Achar J., see Wang W.
Adamo I., Bocchio R., Diella V., Pavese A., Vignola P., Prospero L., Palanza V.: Demantoid from Val Malenco, Italy: Review and update, W09:280-287
Adamo I., Bocchio R., Pavese A., Prospero L.: Characterization of peridot from Sardinia, Italy, Su09:130-133
Adamo I., Pavese A., Prospero L., Diella V., Ajò D., Gatta G.D., Smith C.P.: Aquamarine, Maxixe-type beryl, and hydrothermal synthetic blue beryl: Analysis and identification, F08:214-226
Adamo I., Pavese A., Prospero L., Diella V., Merlini M., Gemmi M., Ajò D.: Characterization of the new Malossi hydrothermal synthetic emerald, W05:328-338
Adamo I., see also Bocchio R.
Ajò D., see Adamo I.
Akamatsu S.: The present and future of Akoya cultured pearls, F99:73-74
Akamatsu S., Zansheng L.T., Moses T.M., Scarratt K.: The current status of Chinese freshwater cultured pearls, Su01:96-113
Akamatsu S., see also Scarratt K.
Albright M.K.: Opportunities and danger: The world in 2006, F06:2-6
Anckar B.: Amethyst mining in Zambia, F06:112-113
Anckar B., see also Hainschwang T., Laurs B.M., Zwaan J.C.
Anderson A.L.: Curves and optics in nontraditional gemstone cutting, W91:234-239
Leigha: The creation of a three-dimensional intarsia sculpture, Sp98:24-33
Andouche A., see Karampelas S.
Andres Y., see Fritsch E.
Anthonis A.: Optical characterization of CVD synthetic diamond plates grown at LIMHP-CNRS, France, F06:152-153
Anwar J., see Bowersox G.W.
Appel P.W.U., Jensen A.: A new gem material from Greenland: Iridescent orthoamphibole, Sp87:36-42
Arizmendi E., see Kiefert L.
Armbruster T., see Laurs B.M.

Ashbaugh III C.E.:

- Gamma-ray spectroscopy to measure radioactivity in gemstones, Su92:104-111
Gemstone irradiation and radioactivity, W88:196-213
Ashbaugh III C.E., Shigley J.E.: Reactor-irradiated green topaz, Su93:116-121
Atichat W.: Ruby-sapphire quality grading for the gem trade, F06:128
Atkinson D., Kothavala R.Z.: Kashmir sapphire, Su83:64-76
Azrielant O.: Online vs. offline: Are they really in opposite corners of the ring? F06:56-57

B

- Baker D.M.: Revolution in diamond cutting: Laser sawing of diamond crystals, F81:150-152
Balitskaya L.V., see Balitsky V.S.
Balitskaya O.V., see Balitsky V.S.
Balitsky D.V., see Balitsky V.S.
Balitsky V.S.: Synthesis and enhancement of gems in Russia in the second half of the 1990s, F99:173
Balitsky V.S., Balitsky D.V., Bondarenko G.V., Balitskaya O.V.: The 3543 cm⁻¹ infrared absorption band in natural and synthetic amethyst and its value in identification, Su04:146-161
Balitsky V.S., Bublikova T.M., Sorokina S.L., Balitskaya L.V., Shteinberg A.S.: Man-made jewelry malachite F87:152-157
Balitsky V.S., Lu T., Rossman G.R., Makhina I.B., Mar'in A.A., Shigley J.E., Elen S., Dorogovin B.A.: Russian synthetic ametrine,

- Su99:122-134
- Balitsky V.S., Makhina I.B., Prygov V.I., Mar'in A.A., Emel'chenko A.G., Fritsch E., McClure S.F., Lu T., DeGhionno D., Koivula J.I., Shigley J.E.: Russian synthetic pink quartz, Sp98:34-43
- Bank H., see Lind Th. and Schmetzer K.
- Barbosa H.D.: Copper tourmaline from Paraíba, Brazil: Reopening of the mine, regional exploration, F99:138
- Bariand P., see Wyart J.
- Barot N.R., Boehm E.W.: Gem-quality green zoisite, Sp92:4-15
- Bassett A.M., see Dirlam D.M. and Smith C.P.
- Beaton D.: Color quantification: A spectrographic imaging approach, F06:93-94
- Beaton D., see also Kondo D., Laurs B.M., Scarratt K.
- Becker G., see Sinkankas J.
- Befi R.: Coated topaz, F06:128-129
- Befi R., see also Laurs B.M.
- Beili Z., see Schmetzer K.
- Bell K.C.: Natural pearl formation as seen through macro photography, F06:169-170
- Berg L.M.: The power of branding and brand-partnering at retail, F06:45
- Berg R.B.: The importance of surface features and adhering material in deciphering the geologic history of alluvial sapphires—an example from western Montana, F06:145
- Bernardes de Oliveira M., see Shigley J.E.
- Bernhardt H.-J., see Hänni H.A., Peretti A., and Schmetzer K.
- Bernhardt U.K.: Engraved gems: 6000 BC–2000 AD, F99:169
- Bertel E., see Gabasch H.
- Bhandari R., see Choudhary G.
- Bidny A.S.: New data for distinguishing between hydrothermal synthetic, flux synthetic, and natural corundum, F06:153-154
- Biehler R., see Schmetzer K.
- Blodgett T., see Moses T.M.
- Bocchio R., Adamo I., Caucia F.: Aquamarine from the Masino-Bregaglia Massif, Central Alps, Italy, F09:204-207
- Bocchio R., see also Adamo I.
- Boehm E.W.:
ICA colored gemstone worldwide mining report, F06:157
Portable instruments and tips on practical gemology in the field, Sp02:14-27
Untreated and underappreciated gems, F06:28
- Boehm E.W., see also Barot N.R., Johnson M.L., Kane R.E., Koivula J.I., and Shigley J.E.
- van der Bogert C.H., Smith C.P., Hainschwang T., McClure S.F.: Gray-to-blue-to-violet hydrogen-rich diamonds from the Argyle mine, Australia, Sp09:20-37
- Bondanza M.: Technical innovations, F06:42
- Bondarenko G.V., see Balitsky V.S.
- Bordelon O., see Emmett J.L.
- Bosshart G.:
Cobalt glass as a lapis lazuli imitation, W83:228-231
Rare reverse color change in a blue zircon from Myanmar (Burma), F06:94-95
- Bosshart G., see also Hughes R.W., Schmetzer K., Shigley J.E., and Smith C.P.
- Botha M.: Three-dimensional solid modeling in applied diamond crystallography, F06:129
- Bowersox G.W.:
Central Asia: A prime source of gemstones for the 21st century, F99:140
A status report on gemstones from Afghanistan, W85:192-204
- Bowersox G.W., Anwar J.: The Gujar Killi emerald deposit, Northwest Frontier Province, Pakistan, Sp89:16-24
- Bowersox G.W., Foord E.E., Laurs B.M., Shigley J.E., Smith C.P.: Ruby and sapphire from Jegdalek, Afghanistan, Su00:110-126
- Bowersox G.W., Snee L.W., Foord E.E., Seal II R.R.: Emeralds of the Panjshir Valley, Afghanistan, Sp91:26-39
- Boyajian W.E.:
Breakthrough technology, Sp00:1
Demystifying diamond cut, F98:157
Disclose or be disclosed, Su03:83
An economic review of the past decade in diamonds, F88:134-153
G. Robert Crowningshield: A giant among gemologists, F03:181
In honor of Robert C. Kammerling, W96:231
The impact of fluorescence in diamonds: A different research perspective, W97:243
The International Gemological Symposium: Facing the future with GIA, Sp91:1
Meeting the millennium in the gem and jewelry trade, F99:8-13
New diamond treatments: What do they mean for the gemological laboratory? F00:189
- Our future: Fortright or fractured? F94:141
- A retrospective of the '90s: The challenge of change, W00:291
- Richard T. Liddicoat: Celebrating 50 years of leadership, Sp02:1
- Shedding light on "fire," F01:173
- Shifting tides in the diamond industry, F05:201
- Symposium 1999: Meeting the millennium, F97:165
- Tomorrow's challenge: CVD synthetic diamonds, W03:267
- Unlocking the secrets of the fourth C, F04:197-198
- Boyajian W.E., see also Liddicoat R.T.
- Brand A.A.: Emerald mineralization in northwestern Ontario, Canada, F06:113
- Brandstätter F., Niedermayr G.:
Inclusions of native copper and tenorite in cuprian-elbaite tourmaline from Paraíba, Brazil, F94:178-183
- Braunwart E.: Branding techniques and the fashion industry, F06:31
- Breeding C.M.: High-energy ultraviolet luminescence imaging: Applications of the DTC DiamondView for gem identification, F06:88
- Breeding C.M., Shigley J.E.: The "type" classification system of diamonds and its importance in gemology, Su09:96-111
- Breeding C.M., see also Chadwick K.M., Du Toit G., Eaton-Magaña S., Laurs B.M., Merkel P.B., Shigley J.E., Titkov S.V., Wang W.
- Brennan W., see Epstein D.S.
- Brown G.: Treated Andamooka matrix opal, Su91:100-107
- Bublikova T.M., see Balitsky V.S.
- Buckley J.: Giving back wisely: Philanthropy as an investment for retail jewelers, F06:166
- Buerki P.R., see Reinitz I.M.
- Burford M., see Schmetzer K.
- Burianek M.: The gemstones of the Shrine of the Three Magi (ca. 1200 AD) in Cologne Cathedral, Germany, F06:121
- Butler J.E.: Growth of CVD synthetic diamond, F06:111-112
- Butler J.E., see also Eaton-Magaña S., Wang W.
- Buyko A.K., see Zaitsev A.N.

C

- Cade A.:
Characterization of sapphires from Yogo, Montana, F06:129-130
Garnet inclusions in Yogo sap-

- phires, F06:106
- Cairncross B., Campbell I.C., Huizenga J.M.: Topaz, aquamarine, and other beryls from Klein Spitzkoppe, Namibia, Su98:114-125
- Calderon G.P., see Jennings R.H.
- Calnon J.: Perspective of an electronic retailer, F99:109-110
- Campbell I.C., see Cairncross B.
- Canut de Bon C., see Coenraads R.R.
- Cariño M., Monteforte M.: History of pearling in La Paz Bay, South Baja California, Su95:88-105
- Carmona C.I.:
Estimating weights of mounted colored gemstones, F98:202-211
Products of endangered species used in jewelry, F06:166-167
Products of endangered and threatened species used in jewelry, F99:169-170
- Carriere D.P., see Sucher S.D.
- Caspi A.: Modern diamond cutting and polishing, Su97:102-121
- Cassedanne J.P., Sauer D.A.: The Santa Terezinha de Goiás emerald deposit, Sp84:4-13
- Caucia F., see Bocchio R.
- Ceulemans T.: Statistical study of the performance and predictive value of color measurement instruments for cape-colored rough diamonds, F06:130
- Chadwick K.M., Breeding C.M.:
Color variations and properties of johachidolite from Myanmar, F08:246-251
- Chalain J.-P.A.: An imitation of black diamond: Artificial black cubic zirconium oxide, F99:173-174
- Chambel L.: Diamond deposits of Angola, F99:155-156
- Chapman J.G.: Studies of the pink and blue coloration in Argyle diamonds, F99:156-157
- Chapman J.G., see also Shigley J.E.
- Charles D.: Defects in single-crystal CVD synthetic diamond studied by optical spectroscopy with the application of uniaxial stress, F06:121-122
- Cheng Y., see Li J.
- Choudhary G., Bhandari R.: A new type of synthetic fire opal: Mexifire, F08:228-233
- Choudhary G., Golecha C.: A study of nail-head spicule inclusions in natural gemstones, F07:228-235
- Choudhary G., see also Fernandes S.
- Christenson C.: Red beryl, F99:140
- Chyi K.L., see Dietrich R.V.
- Cino K., see Moses T.M.
- Clanin J.:
Geology and mining of southern Tanzanian alluvial gem deposits, F06:107
Mining of pegmatite-related primary gem deposits, F06:145
- Clarke C., see Shigley J.E.
- Coenraads R.R., Canut de Bon C.:
Lapis lazuli from the Coquimbo Region, Chile, Sp00:28-41
- Coenraads R.R., Zenil A.R.: Leopard opal: Play-of-color opal in vesicular basalt from Zimapán, Hidalgo State, Mexico, W06:236-246
- Cohen S.: A manufacturer's perspective, F99:55
- Colbert J.: Digital asset management for gem and jewelry photography, F06:163
- Coldham T.: Sapphires from Australia, F85:130-146
- Cole J.E., see Shigley J.E.
- Collins A.T.:
Identification technologies for diamond treatments, F06:33-34
Pitfalls in color grading diamonds by machine, Sp84:14-21
- Conner L., see Fritsch E.
- Cook B.: "Bahia Gold" golden rutilated quartz, Serra da Mangabeira, Novo Horizonte, Bahia, Brazil, F06:130
- Cook B., see also Shigley J.E.
- Cook F.A.:
Applications of geophysics in gemstone exploration, Sp97:4-23
Gemstones and global tectonics, F99:140-141
- Cook F.A., see also Levinson A.A.
- Cook J.L., see Dirlam D.M.
- Cooper M., see King J.M. and Welbourn C.M.
- Cooper M.A., see Laurs B.M.
- Coquillard C.: The multichannel retailer, F06:54
- Costin G., see Fritz E.A.
- Creagh D.C., see Millsted P.W.
- Crowder M.J., see Martineau P.M.
- Crown A.: Tanzanite mining update—A follow-up to the mine disaster of April 9, 1998 at Merelani, Tanzania, F99:141-142
- Crowningshield R.:
Cultured ³/₄ blister pearls, Sp82:36-38
Grading the Hope diamond, Su89:91-94
Irradiated topaz and radioactivity, W81:215-217
Padparadscha: What's in a name? Sp83:30-36
- Crowningshield R., Fryer C.W., Hurlbut C.: A simple procedure to separate natural from synthetic amethyst on the basis of twinning, F86:130-139
- Cushman T.:
Case study Madagascar: Progress and development through education, F06:161
The short life and death of a sapphire boomtown, F99:142
- D**
- De Corte K.: Overview of dislocation networks in natural type IIa diamonds, F06:122-123
- DeGhionno D.G., see Balitsky V.S., Johnson M.L., and Koivula J.I.
- Deljanin B.:
Cross-referencing Identification System (CIS): Database and tool for diamond research, F06:163-164
Mining and heat treatment of "geuda" sapphire at Ratnapura, Sri Lanka, F99:142-143
Study of fancy-color and near-colorless HPHT-grown synthetic diamonds from Advanced Optical Technology Co., Canada, F06:154-155
- Deljanin B., see also Hainschwang T.
- DelRe N.:
Achievements from patents, designs, and trademarks relating to the gem trade, F99:164-165
Imaging spectroscopy: A developing frontier for gem analysis, F06:88-89
- DelRe N., see also Hainschwang T.
- DeMaggio M.: Visions of gems: The photodocumentation of gemological subjects, F99:160
- Demartin F., see Guastoni A.
- Demianets L.N., see Shigley J.E.
- Denton M.B.: The present and future potential of Raman spectroscopy in the characterization of gems and minerals, F06:89
- Devouard B., see Muhlmeister S.
- Dhamani A.: The Gulf perspective, F06:61
- Diehl R., Herres N.: X-ray fingerprinting routine for cut diamonds, Sp04:40-57
- Diella V., see Adamo I.
- Dietrich R.V., White J.S., Nelen J.E., Chyi K.L.: A gem-quality iridescent orthoamphibole from Wyoming, F88:161-164
- Dikinis S.D., see Spencer L.K.
- Dirlam D.M., Laurs B.M., Pezzotta F., Simmons W.B.: Liddicoatite tourmaline from Anjanabonoina, Madagascar, Sp02:28-53
- Dirlam D.M., Misiorowski E.B., Cook J.L., Weldon R.: The Sinkankas library, Sp89:2-15

- Dirlam D.M., Misiorowski E.B., Thomas S.A.: Pearl fashion through the ages, Su85:63-78
- Dirlam D.M., Misiorowski E.B., Tozer R., Stark K.B., Bassett A.M.: Gem wealth of Tanzania, Su92:80-102
- Dirlam D.M., Shigley J.E., Overlin S.: The ultimate gemologist: A tribute to Richard T. Liddicoat, Sp02:2-13
- Dirlam D.M., see also Goebel M., Kane R.E., Misiorowski E.B., Overlin S., and Shigley J.E.
- Dissanayake C.B., Rupasinghe M.S.: A prospectors' guide map to the gem deposits of Sri Lanka, F93:173-181
- Dobrinets I.A., Zaitsev A.M.: "Fluorescence cage": Visual identification of HPHT-treated type I diamonds, F09:186-190
- Dorogovin B.A., see Balitsky V.S.
- Douthit T.R., see Emmett J.L., Wang W.
- Downs R.T.: Report on the progress of the RRUFF project: An integrated database of Raman spectra, X-ray diffraction, and chemical data for minerals, F06:89-90
- Downs R.T., see also Fritz E.A.
- Dröschel R., Evers J., Ottomeyer H.: The Wittelsbach Blue, W08:348-363
- Drucker R.:
Gem enhancements and their effect on pricing, F99:165-166
Social, political, economic, and gemological impacts on pricing trends, F06:95
Software for gemstone grading and appraisal valuation, F06:130-131
- Du Toit G.: Demantoid from Iran, F06:131
- Du Toit G., Shen A.H., Breeding C.M.: The color durability of "Chocolate Pearls" by Ballerina Pearl Co., F08:234-241
- Du Toit G., see also Scarratt K., Schwarz D.
- E**
- Eaton-Magaña S.:
Fluorescence of fancy-color natural diamonds, F06:131-132
Luminescence of the Hope diamond and other blue diamonds, F06:95-96
- Eaton-Magaña S., Post J.E., Heaney P.J., Walters R.A., Breeding C.M., Butler J.E.: Fluorescence spectra of colored diamonds using a rapid, mobile spectrometer, W07:332-351
- Eaton-Magaña S., see also Smith C.P.
- Ebert J.M.: Art Deco: The period, the jewelry, Sp83:3-11
- Edelstein C.: The American designer jewelry movement: Where it came from and where it's going, F99:105-106
- Eickhorst M.: Better understanding of gems and daylight for enhanced work and business success, F99:166
- Eisen S.: Jewelry with a purpose, F99:170
- El Baz M.K., see Jennings R.H.
- Elen S.:
Identification of yellow cultured pearls from the black-lipped oyster *Pinctada margaritifera*, Sp02:66-72
Luminescence, reflected-infrared, and reflected-ultraviolet digital photography: Gemological applications, F06:123
Spectral reflectance and fluorescence characteristics of natural-color and heat-treated "golden" South Sea cultured pearls, Su01:114-123
Update on the identification of treated "golden" South Sea cultured pearls, Su02:156-159
- Elen S., Fritsch E.: The separation of natural from synthetic colorless sapphire, Sp99:30-41
- Elen S., see also Balitsky V.S., Johnson M.L., Kiefert L., Koivula J.I., Nassau K., and Shigley J.E.
- Elliott J.: Contemporary intarsia: The Medvedev approach to gem inlay, W86:229-234
- Ellison R.K., see Shigley J.E.
- Emel'chenko A.G., see Balitsky V.S.
- Emmett J.L.: Fluxes and the heat treatment of ruby and sapphire, F99:90-92
- Emmett J.L., Douthit T.R.: Heat treating the sapphires of Rock Creek, Montana, W93:250-272
- Emmett J.L., Scarratt K., McClure S.F., Moses T., Douthit T.R., Hughes R., Novak S., Shigley J.E., Wang W., Bordelon O., Kane R.E.: Beryllium diffusion of ruby and sapphire, Su03:84-135
- Emmett J.L., see also Wang W.
- Epstein D.S.:
Amethyst from Brazil, W88:214-228
The Capoeirana emerald deposit near Nova Era, Minas Gerais, Brazil, F89:150-158
- Epstein D.S., Brennan W., Mendes J.C.: The Indaia sapphire deposits of Minas Gerais, Brazil, Sp94:24-32
- Erel E., see Schwarz D.
- Ertl A.: Elbaite from the Himalaya mine, Mesa Grande, California, F06:96
- Esmerian R.: In pursuit of elusive luxury, F06:53
- Evans D.J.F., Fisher D., Kelly C.J.: Coated pink diamond—A cautionary tale, Sp05:36-41
- Evans D.J.F., see also Martineau P.M.
- Evers J., see Dröschel R.
- F**
- Fallick A.E., see Schwarz D.
- Falster A.U., see Laurs B.M., Simmons W.B., and Zwaan J.C.
- Fan C., see Li J.
- Fant G.: The Internet as a complementary distribution channel, F06:55
- Farges F., Sucher S., Horovitz H., Fourcault J.-M.: The French Blue and the Hope: New data from the discovery of a historical lead cast, Sp09:4-19
- Farook A.: An Examination of the state of the gem trade in Sri Lanka, F99:143-144
- Faulkner M.J., Shigley J.E.: Zircon from the Harts Range, Northern Territory, Australia, W89:207-215
- Feather R.C.: The Smithsonian Institution's corundum conundrums, F99:144
- Fedortchouk Y.: What determines the morphology of a resorbed diamond? F06:146
- Fernandes S., Choudhary G.: Gem-quality andalusite from Brazil, Su09:120-129
- Filippi J., see Wyart J.
- Fisher D., Spits R.A.: Spectroscopic evidence of GE POL HPHT-treated natural type IIa diamonds, Sp00:42-49
- Fisher D., see also Evans D.J.F.
- Fiske D., Shepherd J.: Continuity and change in Chinese freshwater pearl culture, Su07:138-145
- Foord E.E., see Bowersox G.W. and Shigley J.E.
- Fourcault J.-M., see Farges F.
- Francis C.A., see Hurlbut C.S. Jr. and Kampf A.R.
- Fritsch E.:
Classification of gem opals using Raman spectroscopy, F99:145
Gem characterization: A forecast of important techniques in the coming decade, F06:90
- Fritsch E., Conner L., Koivula J.I.: A preliminary gemological study of synthetic diamond thin films, Su89:84-90
- Fritsch E., McClure S.F., Ostrooumov

- M., Andres Y., Moses T., Koivula J.L., Kammerling R.C.: The identification of Zachery-treated turquoise, Sp99:4-16
- Fritsch E., Misiorowski E.B.: The history and gemology of queen conch pearls, W87:208-221
- Fritsch E., Rossman G.R.:
New technologies of the 1980s: Their impact in gemology, Sp90:64-75
An update on color in gems. Part 1: Introduction and colors caused by dispersed metal ions, F87:126-139
An update on color in gems. Part 2: Colors involving multiple atoms and color centers, Sp88:3-15
An update on color in gems. Part 3: Colors caused by band gaps and physical phenomena, Su88:81-102
- Fritsch E., Scarratt K.: Natural-color nonconductive gray-to-blue diamonds, Sp92:35-42
- Fritsch E., Shigley J.E.: Contribution to the identification of treated colored diamonds: Diamonds with peculiar color-zoned pavilions, Su89:95-101
- Fritsch E., Shigley J.E., Rossman G.R., Mercer M.E., Muhlmeister S.M., Moon M.: Gem-quality cuprianelbaite tourmalines from São José da Batalha, Paraíba, Brazil, F90:189-205
- Fritsch E., Shigley J.E., Stockton C.M., Koivula J.L.: Detection of treatment in two unusual green diamonds, F88:165-168
- Fritsch E., Stockton C.M.: Infrared spectroscopy in gem identification, Sp87:18-26
- Fritsch E., Wu S.-T.T., Moses T., McClure S.F., Moon M.: Identification of bleached and polymer-impregnated jadeite, F92:176-187
- Fritsch E., see also Balitsky V.S., Elen S., Hainschwang T., Johnson M.L., Kammerling R.C., Kane R.E., Karamelas S., Koivula J.L., McClure S.F., Moses T., Muhlmeister S., Robert D., Rondeau B., Rooney M.-L.T., Shigley J.E., and Woodruff R.E.
- Fritz E.A., Laurs B.M., Downs R.T., Costin G.: Yellowish green diopside and tremolite from Merelani, Tanzania, Su07:146-148
- Fritz E.A., see also Laurs B.M.
- Fryer C.W., Koivula J.L.:
An examination of four important gems, Su86:99-102
The eyepiece pointer: A useful microscope accessory, Su85:105-107
- Fryer C.W., see also Crowningshield R., Koivula J.L., and Shigley J.E.
- Fuhrbach J.R.: Kilbourne Hole peridot, Sp92:16-27
- Fukushima H., see Sunagawa I.
- Furuya M.: Copper-bearing tourmalines from new deposits in Paraíba State, Brazil, F07:236-239
- Furuya M., see also Abduriyim A.
- ## G
- Gabasch H., Klauser F., Bertel E., Rauch T.: Coloring of topaz by coating and diffusion processes: An X-ray photoemission study of what happens beneath the surface, Su08:148-154
- Gaillou E.: Geologic origin of opals deduced from geochemistry, F06:107
- Gaillou E., Post J.E.: An examination of the Napoleon Diamond Necklace, W07:352-357
- Galenon R.T.: Marketing of the Tahitian cultured pearl, F06:170
- Galibert O., see Hughes R.W.
- Galopim de Carvalho R.:
The Bragança "diamond" discovered? F06:132-133
Brazilian colored gemstones in Portuguese 18th–19th century jewelry, F06:167
Colored gemstone promotion in small scale markets: The Portuguese case, F06:167-168
Magnificent jewels in Portugal, F06:168-169
- Garcia-Guillerminet H., see Zwaan J.C.
- Garland M.I.: Characterization of inclusion suites in sapphire using Raman spectroscopy, F99:145-146
- Garzon C.: Understanding emerald enhancements, F99:145
- Gatta G.D., see Adamo I.
- Gelb T.H., see King J.M.
- Gemmi M., see Adamo I.
- Geurts R.H., see King J.M., Moses T.M., Reinitz I.M.
- Ghargari L.: Jasper occurrences in the Brad area, Apuseni Mountains (Romania), F99:139-140
- Gicquel A., see Wang W.
- Gilbertson A.:
The evolution of the American Round Brilliant Diamond (aka American Cut), 1860–1955, F06:133
The revolution in cut grading, F99:157
- Gilbertson A., Gudlewski B., Johnson M., Maltezos G., Scherer A., Shigley J.: Cutting diffraction gratings to improve dispersion ("fire") in diamonds, W09:260-270
- Gilbertson A., see also King J.M., Moses T.M., Reinitz I.M.
- Giuliani G., see Schwarz D.
- Goebel M., Dirlam D.M.: Polynesian black pearls, F89:130-148
- Golecha C., see Choudhary G.
- Gorshkov A.I., see Titkov S.V.
- Goyal M.: Pyrope-almandine garnets from various mining areas in Orissa, India, F99:147
- Graeser S., see Smith C.P.
- Gray F.L.: Engraved gems: A historical perspective, W83:191-201
- Gray M.: Faceting large gemstones, Sp88:33-42
- Gray M., see also Laurs B.M.
- Graziani G., Gübelin E.J., Martini M.: The Lennix synthetic emerald, F87:140-147
- Graziani G., see also Gübelin E.J.
- Green B., see Moses T.M., Reinitz I.M.
- Greig D.: Software management systems for jewelers, F99:166-167
- Groat L.A.: Funding for gemological research: Ideas and case studies, F06:133-134
- Groat L., see also Rondeau B.
- Grobéty B., see Laurs B.M.
- Grozman Y.: A close look at gemstone color grading: Definition of the key color, F06:96-97
- Grussing T.: Carving gem-quality opal, Su82:95-99
- Guastoni A., Pezzotta F., Superchi M., Demartin F.: Pyrope from the Dora Maira massif, Italy, F01:198-204
- Gübelin E.J.:
Gemstones of Pakistan: Emerald, ruby, and spinel, F82:123-139
New synthetic rubies made by Professor P. O. Knischka, F82:165-168
Zabargad: The ancient peridot island in the Red Sea, Sp81:2-8
- Gübelin E.J., Graziani G., Kazmi A.H.: Pink topaz from Pakistan, F86:140-151
- Gübelin E.J., Schmetzer K.:
Gemstones with alexandrite effect, W82:197-203
- Gübelin E.J., Weibel M., Woensdregt C.R.: Some unusual sillimanite cat's-eyes, Su86:96-98
- Gübelin E.J., see also Graziani G., Meyer H.O.A., Schmetzer K., and Smith C.P.
- Gudlewski B., see Gilbertson A.
- Guhin S.S., see King J.M.
- Gumpesberger S.M.:
Magnetic separation of gemstones,

- F06:124
A variation on the crossed filters approach using pocket LED light sources, F06:124
- Gunawardene M.:
Colombage-Ara scheelite, F86:166-169
Inclusions in taaffeites from Sri Lanka, F84:159-163
- Gunawardene M., Rupasinghe M.S.:
The Elahera gem field in central Sri Lanka, Su86:80-95
- Gunter M.E., see Johnston C.L.
- Günther D.: Laser ablation-inductively coupled plasma-mass spectrometry: A new way of analyzing gemstones, F99:160-161
- Günther D., see also Laurs B.M., Smith C.P.
- Guo J., Wang F., Yakoumelos G.:
Sapphires from Changle in Shandong Province, China, W92:255-260
- Guo J., see also Wang Fuquan
- Gurney J.J.: Changes and new developments in Africa, F99:34-36
- Gurney J.J., Levinson A.A., Smith H.S.:
Marine mining of diamonds off the west coast of southern Africa, W91:206-219
- Gurney J.J., see also Kirkley M.B. and Levinson A.A.
- H**
- Haas E.: The diamond distribution system, F99:52
- Häberli S.: Shedding a new light on Medieval darkness, F99:161-162
- Häberli S., see also Hänni H.A.
- Hainschwang T.: Natural "CO₂-rich" colored diamonds, F06:97
- Hainschwang T., Leggio L.:
The characterization of tortoise shell and its imitations, Sp06:36-52
- Hainschwang T., Notari F.:
The cause of iridescence in Rainbow andradite from Nara, Japan, W06:248-258
- Hainschwang T., Notari F., Anckar B.:
Trapiche tourmaline from Zambia, Sp07:36-46
- Hainschwang T., Simic D., Fritsch E., Deljanin B., Woodring S., DelRe N.:
A gemological study of a collection of chameleon diamonds, Sp05:20-35
- Hainschwang T., see also van der Bogert C.H., Schmetzer K.
- Hall M., see King J.M., McClure S.F., Shen A.H., Wang W.
- Hall R.L., see Mychaluk K.A.
- Hametner K., see Smith C.P.
- Hammer V.M.F., see Smith C.P.
- Hanano J., Wildman M., Yurkiewicz P.G.:
Majorica imitation pearls, F90:178-188
- Hanneman W.W.:
A new classification for red-to-violet garnets, Sp83:37-40
- Hänni H.A.:
Fissure-filled emeralds and their detection, F99:93-94
Fissure fillings in emeralds: A comparison of different identification methods, F99:146-147
- Hänni H.A., Schmetzer K.:
New rubies from the Morogoro area, Tanzania, F91:156-167
- Hänni H.A., Schmetzer K., Bernhardt H.-J.:
Synthetic rubies by Douros: A new challenge for gemologists, Su94:72-87
- Hänni H.A., Schubiger B., Kiefert L., Häberli S.:
Raman investigations on two historical objects from Basel Cathedral: The Reliquary cross and Dorothy monstrance, Su98:102-113
- Hänni H.A., see also Kiefert L., Krzemnicki M.S., Schmetzer K., and Smith C.P.
- Hansawek R.:
Kanchanaburi sapphires and their reaction to heat treatment, F99:147-148
- Hanson A.E., see Nassau K.
- Hao W., Li J.
- Hargett D.R.:
Jadeite of Guatemala: A contemporary view, Su90:134-141
- Hargett D.R., see also Koivula J.I. and Shigley J.E.
- Harlow G.E.:
Jadeite jade from Guatemala: Distinctions among multiple deposits, F06:146
Mineral assemblages and the origin of ruby in the Mogok Stone Tract, Myanmar, F06:147
- Harlow G.E., see also Hughes R.W.
- Harris J.:
Diamond occurrence and evolution in the mantle, F06:107-108
- Hasenfeld H.:
The diamond dealer's perspective, F06:48
The New York diamond market, F99:44-45
- Haske M.:
Detection of irradiated diamonds, F99:157-158
- Hatleberg J.N.:
An exact replica of the original Mogul cut Koh-i-noor diamond, F06:158-159
- Hauzenberger C., see Schwarz D.
- Hawthorne F.C., see Laurs B.M.
- Hays N.K., see Misiorowski E.B.
- He M.:
Relationship between texture and crystallization degree in nephrite jade from Hetian, Xinjiang, China, F06:134
- Heaney P.J., see Eaton-Magaña S.
- Hemphill T.S.:
Exploring cut and diamond appearance with the virtual diamond, F99:158-159
- Hemphill T.S., Reinitz I.M., Johnson M.L., Shigley J.E.:
Modeling the appearance of the round brilliant cut diamond: An analysis of brilliance, F98:158-183
- Hemphill T.S., see also Moses T.M., Reinitz I.M.
- Hendry Jr., D.W.:
Gemological needs in insurance documentation, F06:169
- Henn U., see Schmetzer K.
- Herres N., see Diehl R.
- Hoal K.O.:
Integrating the diamond project development process, F06:134-135
- Hobbs J.M.:
The jade enigma, Sp82:3-19
A simple approach to detecting diamond simulants, Sp81:20-33
- Hofer S.C.:
Describing diamond colors with common names, F99:159
Pink diamonds from Australia, F85:147-155
- Hofer S.C., Manson D.V.:
Cryogenics, an aid to gemstone testing, F81:143-149
- Hoffman M.:
Branding cultured pearls: From a retail perspective, F06:41
- Holloway G.:
Diamond grading laboratory peer review, F06:159
- Hoover D.B.:
The GEM DiamondMaster and the thermal properties of gems, Su83:77-86
- Horovitz J., see Farges F.
- Hozjan D.J., see Murphy A.R.
- Htun H.:
Identifying sources of Burmese rubies, F99:148-149
Melo "pearls" from Myanmar, F06:135-136
- Hughes R.W., Galibert O., Bosshart G., Ward F., Oo T., Smith M., Sun T.T., Harlow G.E.:
Burmese jade: The inscrutable gem, Sp00:2-26
- Hughes R.W., see also Emmett J.L.
- Huizenga J.M., see Cairncross B.
- Hunter J.:
Educating the jewelry industry about lab-created moissanite, F99:174
- Hurlbut C.S. Jr.:
A cubic zirconia refractometer, Su81:93-95
- Hurlbut C.S. Jr., Francis C.A.:
An extraordinary calcite gemstone, W84:222-225
- Hurlbut C.S. Jr., see also Crowningshield R. and Kopf R.W.
- Hyatt A., see Wang W.
- Hyrsl J.:
Genetic classification of

mineral inclusions in quartz,
F06:97-98
Hyrs J., see also Seifert A.V.

I

Ionescu C.: Gem vesuvianite and grossular from the Vata area, Apuseni Mountains, Romania, F99:139
Irving M.: The Canadian diamond industry: Where to now? F06:24
Isik I., see Sariiz K.

J

Janowski B.: The U.S. diamond industry, F99:56-57
Janse A.J.A.(Bram):
Diamonds from Australia, F99:37-39
Global rough diamond production from 1870 to 2005, F06:136
Global rough diamond production since 1870, Su07:98-119
A history of diamond sources in Africa: Part I, W95:228-255
A history of diamond sources in Africa: Part II, Sp96:2-30
Major diamond mines of the world: Tectonic location, production, and value, F06:148-149
Jara G., see Keller P.C.
Jegge E.P., see Schmetzer K.
Jennings R.H., Kammerling R.C., Kovaltchouk A., Calderon G.P., El Baz M.K., Koivula J.I.: Emeralds and green beryls of upper Egypt, Su93:100-115
Jensen A., Petersen O.V.: Tugtupite: A gemstone from Greenland, Su82:90-94
Jensen A., see also Appel P.W.U.
Jobbins E.A., see Shigley J.E.
Johnson M.L.:
Characterization of some emerald filling substances, F99:149-151
Durability testing of filled emeralds, Su07:120-137
Technological developments in the 1990s: Their impact on gemology, W00:380-396
Johnson M.L., Boehm E., Krupp H., Zang J.W., Kammerling R.C.: Gem-quality grossular-andradite: A new garnet from Mali, F95:152-166
Johnson M.L., Elen S., Muhlmeister S.: On the identification of various emerald filling substances, Su99:82-107
Johnson M.L., Kammerling R.C., DeGhionno D.G., Koivula J.I.: Opal from Shewa Province, Ethiopia, Su96:112-120
Johnson M.L., McClure S.F.,

DeGhionno D.G.: Some gemological challenges in identifying black opaque gem materials, W96:252-261
Johnson M.L., Mercer M.E., Fritsch E., Maddison P., Shigley J.E.: "Ti-sapphire": Czochralski-pulled synthetic pink sapphire from Union Carbide, F95:188-195
Johnson M.L., Wentzell C.Y., Elen S.: Multicolored bismuth-bearing tourmaline from Lundazi, Zambia, F97:204-211
Johnson, M.L., see also Gilbertson A., Hemphill T.S., Kammerling R.C., Koivula J.I., Moses T.M., and Reinitz I.M.
Johnson P., see Moe K.S.
Johnston C.L., Gunter M.E., Knowles C.R.: Sunstone labradorite from the Ponderosa mine, Oregon, W91:220-233

K

Kammerling R.C., Kane R.E., Koivula J.I., McClure S.F.: An investigation of a suite of black diamond jewelry, W90:282-287
Kammerling R.C., Keller A.S., Scarratt K.V., Repetto S.: Update on mining rubies and fancy sapphires in northern Vietnam, Su94:109-114
Kammerling R.C., Koivula J.I.: Thermal alteration of inclusions in rutilated topaz, F89:165-167
Kammerling R.C., Koivula J.I., Kane R.E.: Gemstone enhancement and its detection in the 1980s, Sp90:32-49
Kammerling R.C., Koivula J.I., Kane R.E., Fritsch E., Muhlmeister S., McClure S.F.: An examination of nontransparent "CZ" from Russia, W91:240-246
Kammerling R.C., Koivula J.I., Kane R.E., Maddison P., Shigley J.E., Fritsch E.: Fracture filling of emeralds: Opticon and traditional "oils," Su91:70-85
Kammerling R.C., McClure S.F., Johnson M.L., Koivula J.I., Moses T.M., Fritsch E., Shigley J.E.: An update on filled diamonds: Identification and durability, F94:142-177
Kammerling R.C., see also Fritsch E., Jennings R.H., Johnson M.L., Kane R.E., Koivula J.I., McClure S.F., Muhlmeister S., and Smith C.P.
Kampf A.R.: The Gem & Mineral Council of the Natural History Museum of Los Angeles County, F06:161-162
Kampf A.R., Francis C.A.: Beryl gem nodules from the Bananal mine, Minas Gerais, Brazil, Sp89:25-29
Kampf A.R., see also Kane R.E. and Shigley J.E.
Kanda H.:
Cathodoluminescence spectroscopy to identify types of natural diamond, F06:125
Colors of high-pressure synthetic diamonds, F99:174-175
Kane R.E.:
The creation of a magnificent suite of peridot jewelry: From the Himalayas to Fifth Avenue, W04:288-302
The gemological properties of Chatham flux-grown synthetic orange sapphire and synthetic blue sapphire, F82:140-153
The Hkamti jadeite mines area, Sagaing Division, Myanmar (Burma), F06:98-99
Hornbill ivory, Su81:96-97
Identifying treated and synthetic gems: The dealer's perspective, F06:36-37
Inamori synthetic cat's-eye alexandrite, F87:158-162
Natural rubies with glass-filled cavities, W84:187-199
A preliminary report on the new Lechleitner synthetic ruby and synthetic blue sapphire, Sp85:35-39
The Ramaura synthetic ruby, F83:130-148
Ruby and sapphire occurrences around the world, F99:60-61
Three notable fancy-color diamonds: Purplish red, purple-pink, and reddish purple, Su87:90-95
Kane R.E., Boehm E.W., Overlin S., Dirlam D.M., Koivula J.I., Smith C.P.: A gemological pioneer: Dr. Edward J. Gübelin, W05:298-327
Kane R.E., Kammerling R.C.: Status of ruby and sapphire mining in the Mogok Stone Tract, F92:152-174
Kane R.E., Kammerling R.C., Koivula J.I., Shigley J.E., Fritsch E.: The identification of blue diffusion-treated sapphires, Su90:115-133
Kane R.E., Kammerling R.C., Moldes R., Koivula J.I., McClure S.F., Smith C.P.: Emerald and gold treasures of the Spanish galleon *Nuestra Señora de Atocha*, W89:196-206
Kane R.E., Kampf A.R., Krupp H.: Well-formed tsavorite gem crystals from Tanzania, Su90:142-148
Kane R.E., Liddicoat R.T. Jr.: The Biron hydrothermal synthetic emerald, F85:156-170

- Kane R.E., McClure S.F., Kammerling R.C., Khoa N.D., Mora C., Repetto S., Khai N.D., Koivula J.I.: Rubies and fancy sapphires from Vietnam, F91:136-155
- Kane R.E., McClure S.F., Menzhausen J.: The legendary Dresden Green diamond, W90:248-266
- Kane R.E., see also Emmett J.L., Kammerling R.C., Koivula J.I., Shigley J.E., Spencer L.K., and Stockton C.M.
- Kanis J., see Schwarz D. and Zwaan J.C.
- Karampelas S.:
Identification of pigments in freshwater cultured pearls with Raman scattering, F06:99-100
A refined infrared-based criterion for successfully separating natural from synthetic amethyst, F06:155
- Karampelas S., Fritsch E., Rondeau B., Andouche A., Métivier B.: Identification of the endangered pink-to-red *Stylaster* corals by Raman spectroscopy, Sp09:48-52
- Kato H.: Today and tomorrow in the Japanese jewelry market, F99:58
- Katz M.: Building a luxury clientele, F06:51
- Kazmi A.H., see Gübelin E.J. and Zwaan J.C.
- Keenan C.: Quantifiable cut grade system within an educational setting, F06:100
- Keith J.D., see Shigley J.E.
- Keller A.S.:
Buyer beware! W91:205
Carlsbad: A new home for GIA and *Gems & Gemology*, Su97:79
"Challenges, Changes, and New Directions," W08:295
The Dr. Edward J. Gübelin Most Valuable Article Award, Sp97:1, Sp98:1-2, Sp99:2-3, Sp00:79-80, Sp01:1-2, Sp02:107-108, Sp03:65-66, Sp04:87-88, Sp05:2-3
The experts behind *Gems & Gemology*: Our editorial review board, Su05:87
First GIA Gemological Research Conference, W04:283
The *G&G Twenty Year Index*: Two decades of evolution, Su01:95
GIA celebrates 75 years..., Su06:95-96
Gems & Gemology celebrates its 70th anniversary with recognition by ISI, Sp04:1
Gems & Gemology: The first 75 years, Su09:79
The *Gems & Gemology* Most Valuable Article Award, Sp84:2; Sp85:1; Sp86:2; Sp87:1; Sp88:1; Sp89:1; Sp90:111-112; Sp91:57-58; Sp92:1-2; Sp93:1-2; Sp94:1-2; Sp95:74-75; Sp96:64-65.
In honor of Dr. Edward J. Gübelin, Sp03:1-2
In memory of Dr. Edward J. Gübelin, Sp05:1
The Liddicoat legacy, F02:205
May we take a bow? W01:259
A new gemological challenge: Synthetic diamond melee, F08:201
New sources bring new opportunities, F91:135
1992 "perfect" challengers, F92:151
Not invented here, Su00:95
Nothing is as simple as it seems, Su99:79
One hundred issues and counting . . . , W05:295
The quintessential gemologist: Robert C. Kammerling, 1947-1996, Sp96:1
Remembering G. Robert Crowningshield, W06:205
Remembering gemology's Renaissance man: John Sinkankas (1915-2002), Su02:123
The results of our first reader survey, Su04:103
Retrospective 1987, Sp88:1
Save the date for the 2009 Gemological Research Conference, F07:197
Support your local researcher, Su98:79
Symposium '99—You can't afford to miss it! Sp99:1
Symposium 2006: Join us as we navigate the challenges ahead, Sp06:1
Ten reasons why *you* should attend the 2009 GRC, Su08:107
Thank you! Sp90:3
Thank you, donors, Su92:79
Why you *need* to know, W85:191
Keller A.S., Keller P.C.: The sapphires of Mingxi, Fujian Province, China, Sp86:41-45
Keller A.S., Kimmel K.: The 1999 International Gemological Symposium: What a ride! F99:1
Keller A.S., Liddicoat R.T.: Stability disclosure: Are we going far enough? Su93:79
Keller A.S., see also Kammerling R.C., Kimmel K., Liddicoat R.T., Sauer D.A., and Smith C.P.
Keller J., see Zaitsev A.N.
Keller P.C.:
The Capão topaz deposit, Ouro Preto, Minas Gerais, Brazil, Sp83:12-20
The Chanthaburi-Trat gem field, Thailand, W82:186-196
Emeralds of Colombia, Su81:80-92
The newly expanded Deutsches Edelsteinmuseum of Idar-Oberstein, Germany, Su83:97-102
The rubies of Burma: A review of the Mogok stone tract, W83:209-219
Keller P.C., Koivula J.I., Jara G.: Sapphire from the Mercaderes-Río Mayo area, Cauca, Colombia, Sp85:20-25
Keller P.C., Wan G.-D.: The Changma diamond district, Mengyin, Shandong Province, China, Sp86:14-23
Keller P.C., Wang F.: A survey of the gemstone resources of China, Sp86:3-13
Keller P.C., see also Keller A.S., Koivula J.I., and Spencer L.K.
Kelly C.J., see Evans D.J.F.
Kennedy H.F.: Publicity and profits vs. advertisements and expenses, F99:167
Kerr W.C.: A report on the new Watermeyer split-facet diamond cuts, F82:154-159
Khai N.D., see Kane R.E.
Khamrayeva D.: Autoradiographic investigations of impurity distributions in diamond, F06:90
Khoa N.D., see Kane R.E. and Smith C.P.
Kiefert L.:
Red taaffeite, F99:151
Sapphires from New Zealand, F06:113-114
Kiefert L., Hänni H.A.: Gem-quality haiüyne from the Eifel District, Germany, F00:246-253
Kiefert L., Moreno D.M., Arizmendi E., Hänni H.A., Elen S.: Cultured pearls from the Gulf of California, Mexico, Sp04:26-38
Kiefert L., Schmidt S.T.: Some tanzanite imitations, W96:270-276
Kiefert L., see also Hänni H.A. and Schmetzer K.
Kimmel K., Keller A.S.: Business and science converge at the 2006 Symposium and Gemological Research Conference, F06:1
Kimmel K., see also Keller A.S.
Kimura H., see Abduriyim A.
King J.M., Geurts R.H., Gilbertson A.M., Shigley J.E.: Color grading "D-To-Z" diamonds at the GIA Laboratory, W08:296-321
King J.M., Moses T.M., Shigley J.E., Liu Y.: Color grading of colored

- diamonds in the GIA Gem Trade Laboratory, W94:220-242
- King J.M., Moses T.M., Shigley J.E., Welbourn C.M., Lawson S.C., Cooper M.: Characterizing natural-color type IIb blue diamonds, W98:246-268
- King J.M., Moses T.M., Wang W.: The impact of internal whitish and reflective graining on the clarity grading of D-to-Z color diamonds at the GIA Laboratory, W06:206-220
- King J.M., Shigley J.E.: An important exhibition of seven rare gem diamonds, Su03:136-143
- King J.M., Shigley J.E., Gelb T.H., Guhin S.S., Hall M., Wang W.: Characterization and grading of natural-color yellow diamonds, Su05:88-115
- King J.M., Shigley J.E., Guhin S.S., Gelb T.H., Hall M.: Characterization and grading of natural-color pink diamonds, Su02:128-147
- King J.M., see also McClure S.F. and Moses T.M.
- Kinnunen K.A., see Lahti S.I.
- Kirkley M.B., Gurney J.J., Levinson A.A.: Age, origin, and emplacement of diamonds: Scientific advances in the last decade, Sp91:2-25
- Kirkley M.B., see also Levinson A.A.
- Kirschvink J.L., see Rossman G.
- Kissin A.J.: Ruby and sapphire from the southern Ural Mountains, Russia, W94:243-252
- Kitawaki H.: Identification of heat-treated corundum, F06:84
- Kitawaki H., Abduriyim A., Okano M.: Identification of melee-size synthetic yellow diamonds in jewelry, F08:202-213
- Kitawaki H., see also Abduriyim A.
- Kjarsgaard B.A., Levinson A.A.: Diamonds in Canada, F02:208-238
- Klapper H., see Smith C.P.
- Klaudios J., see Zaitsev A.N.
- Klauser F., see Gabasch H.
- Kleišmantas A.: Identification of beryl varieties: "Beryl Color Circle," "Color Memory," and a proposed new variety—chromaquamarine, F06:137
- Klemm L., see Schwarz D.
- Kniwald G.: Gemological properties of colorless hyalophane from Busovaca, Bosnia-Herzegovina, F06:137-138
- Knight S.: Building a profitable appraisal business, F99:167-168
- Knowles C.R., see Johnston C.L.
- Knox K., Lees B.K.: Gem rhodochrosite from the Sweet Home mine, Colorado, Su97:122-133
- Knox K., see also Laurs B.M.
- Koethe S.: Natural abalone pearls: Rare organic gems, F99:171-172
- Koivula J.I.: Carbon dioxide fluid inclusions as proof of natural-colored corundum, F86:152-155
- The first-order red compensator: An effective gemological tool, Su84:101-105
- The hidden beauty of amber: New light on an old subject, Sp81:34-36
- Induced fingerprints, W83:220-227
- Photographing inclusions, F81:132-142
- Photomicrography for gemologists, Sp03:4-23
- Pinpoint illumination: A controllable system of lighting for gem microscopy, Su82:83-86
- The rutiled topaz misnomer, Su87:100-103
- San Carlos peridot, W81:205-214
- Shadowing: A new method of image enhancement for gemological microscopy, F82:160-164
- Some observations on the treatment of lavender jadeite, Sp82:32-35
- Tourmaline as an inclusion in Zambian emeralds, W82:225-227
- Koivula J.I., Boehm E., Kammerling R.C.: Diamond grit-impregnated tweezers: A potentially destructive gemological tool, Su90:149-151
- Koivula J.I., Elen S.: Barite inclusions in fluorite, W98:281-283
- Koivula J.I., Fritsch E.: The growth of Brazil-twinned synthetic quartz and the potential for synthetic amethyst twinned on the Brazil law, F89:159-164
- Koivula J.I., Fryer C.W.: The gemological characteristics of Chinese peridot, Sp86:38-40
- Green opal from East Africa, W84:226-227
- Identifying gem-quality synthetic diamonds: An update, F84:146-158
- Interesting red tourmaline from Zambia, Sp85:40-42
- Lepidolite with simulated matrix, Sp84:42-44
- Koivula J.I., Fryer C.W., Keller P.C.: Opal from Querétaro, Mexico: Occurrence and inclusions, Su83:87-96
- Koivula J.I., Kammerling R.C.: A gemological look at Kyocera's synthetic star ruby, W88:237-240
- "Opalite": Plastic imitation opal with true play-of-color, Sp89:30-34
- Koivula J.I., Kammerling R.C., DeGhionno D.G., Reinitz I., Fritsch E., Johnson M.L.: Gemological investigation of a new type of Russian hydrothermal synthetic emerald, Sp96:32-39
- Koivula J.I., Kammerling R.C., Fritsch E., Fryer C.W., Hargett D., Kane R.E.: The characteristics and identification of filled diamonds, Su89:68-83
- Koivula J.I., Keller P.C.: Russian flux-grown synthetic emeralds, Su85:79-85
- Koivula J.I., Nagle K., Shen A.H., Owens P.: Solution-generated pink color surrounding growth tubes and cracks in blue to blue-green copper-bearing tourmalines from Mozambique, Sp09:44-47
- Koivula J.I., Tannous M., Schmetzer K.: Synthetic gem materials and simulants in the 1990s, W00:360-379
- Koivula J.I., see also Balitsky V.S., Fritsch E., Fryer C.W., Jennings R.H., Johnson M.L., Kammerling R.C., Kane R.E., Keller P.C., Kopf R.W., Laurs B.M., Lowell J., McClure S.F., Moses T.M., Muhlmeister S., Robert D., Shigley J.E., Simmons W.B., Sinkankas J., Spencer R.J., and Zwaan J.C.
- Kondo D., Beaton D.: Hackmanite/sodalite from Myanmar and Afghanistan, Sp09:38-43
- Kondo D.M., see also Smith C.P.
- Kopf R.W., Hurlbut C.S., Koivula J.I.: Recent discoveries of large diamonds in Trinity County, California, F90:212-219
- Kornylak L., see Moses T.M.
- Kothavala R.Z., see Atkinson D.
- Kouznetsov N.B.: The past, present, and future of demantoid green garnet from Russia, F06:157
- Kovaltchouk A., see Jennings R.H.
- Krashes L.S.: Harry Winston: A story told in diamonds, Sp83:21-29
- Krupp H., see Johnson M.L. and Kane R.E.
- Krzemnicki M.S.: Bluish green, light green, and pink synthetic chrysoberyl, F99:175
- Diopside needles as inclusions in demantoid garnet from Russia: A Raman microspectrometric study, W99:192-195
- Krzemnicki M.S., Hänni H.A., Walters R.A.: A new method for detecting Be diffusion-treated

sapphires: Laser-induced breakdown spectroscopy (LIBS), Su04:314-322

L

- Lahti S.I., Kinnunen K.A.: A new gem beryl locality: Luumäki, Finland, Sp93:30-37
- Larson W.F.: Review of gem localities in North America, Russia, and Southeast Asia, F99:64-65
- Larson W.F., see also Shigley J.E.
- Laskovenkov A.F., Zhernakov V.I.: An update on the Ural emerald mines, Su95:106-113
- Latendresse G.: "A pearl circus": Origin, variety, and enhancement of pearls, F99:172
- Latendresse J.R., see Sweaney J.L.
- Laurs B.M.: New technologies face off with new realities, F09:157
- Laurs B.M., Knox K.: Spessartine garnet from Ramona, San Diego County, California, W01:278-295
- Laurs B.M., Pezzotta F., Simmons W.B., Falster A.U., Muhlmeister S.: Rhodizite-londonite from the Antsongombato pegmatite, central Madagascar, W02:326-339
- Laurs B.M., Rohtert W.R., Gray M.: Benitoite from the New Idria District, San Benito County, California, F97:166-187
- Laurs B.M., Simmons W.B., Rossman G.R., Fritz E.A., Koivula J.I., Ankar B., Falster A.U.: Yellow Mn-rich tourmaline from the Canary mining area, Zambia, W07:314-331
- Laurs B.M., Simmons W.B., Rossman G.R., Quinn E.P., McClure S.F., Peretti A., Armbruster T., Hawthorne F.C., Falster A.U., Günther D., Cooper M.A., Grobéty B.: Pezzottaite from Ambatovita, Madagascar: A new gem mineral, W03:284-301
- Laurs B.M., Zwaan J.C., Breeding C.M., Simmons W.B., Beaton D., Rijdsdijk K.F., Befi R., Falster A.U.: Copper-bearing (Paraíba-type) tourmaline from Mozambique, Sp08:4-30
- Laurs B.M., see also Bowersox G.W., Dirlam D.M., Fritz E.A., Muhlmeister S., Schwarz D., Shigley J.E., Simmons W.B., and Zwaan J.C.
- Lawson S.C., see King J.M., Martineau P.M.
- Lee H.W., see Thomas S.A.
- Lees B.K., see Knox K.
- Leggio L., see Hainschwang T.
- Lehrer G.: The techniques and art of cutting "the world's largest gemstone pendant," Bahia: A natural, transparent, rutile quartz sculpture, F06:158
- Lepage L.: Ultraviolet mineral prospecting for sapphire on Baffin Island, Nunavut, Canada, F06:155-156
- Levinson A.A., Cook F.A.: Gem corundum in alkali basalt: Origin and occurrence, W94:253-263
- Levinson A.A., Gurney J.J., Kirkley M.B.: Diamond sources and production: Past, present, and future, W92:234-254
- Levinson A.A., see also Gurney J.J., Kirkley M.B., Kjarsgaard B.A., Murphy A.R., Mychaluk K.A., Sevdermish M., and Spencer R.J.
- Lewand E.A., see Nassau K.
- Li J., Sun Y., Hao W., Luo H., Cheng Y., Liu H., Liu Y., Ye H., Fan C.: Polymer-filled aquamarine, F09:197-199
- Liddicoat R.T.: Basil W. Anderson, 1901-1984, Sp84:1
- Carroll Chatham, 1914-1983, F83:129
- China, Sp86:1
- Congratulations! F89:129; F90:177
- The country of origin question, W90:247
- Diamond prospecting and market prospects, W95:227
- Gemology today, F88:133
- The *Gems & Gemology* most valuable article award, Sp82:1; Sp83:1
- Gems & Gemology*: Sixty years of history and history-making, W94:219
- Information and communication: Keys to the future, Su91:69
- An introduction to the new *Gems & Gemology*, Sp81:1
- Madagascar: Making its mark, Su96:79
- The magic of pegmatites, Su84:63
- The new Australia, F85:129
- New challenges for the diamond industry, Su89:67
- The new *Gems & Gemology* is one year old, W81:183
- Opening Pandora's black box, F96:153
- The radioactivity issue, W88:195
- Reflections on the 1980s, W89:195
- Russia reemerges as a gemstone giant, Su95:87
- Synthetics manufacturers: Some help, some hinder, Su83:63
- In tribute to Lewis Kuhn, Su81:59
- In tribute to Robert M. Shipley, Jr., W82:185
- Tucson '87: Don't miss it! F86:129
- The ultimate synthetic: A jewelry-quality diamond, W86:191
- What did you say the name was? W92:219
- What is a synthetic? F87:125
- Liddicoat R.T., Boyajian W.E.: The 1980s in review: New realities of the gem and jewelry industry, Sp90:1-2
- Liddicoat R.T., Keller A.S.: *Gems & Gemology* turns 65, W99:173
- Liddicoat R.T., see also Kane R.E. and Keller A.S.
- Linares R.C., see Wang W.
- Lind Th., Schmetzer K., Bank H.: The identification of turquoise by infrared spectroscopy and X-ray powder diffraction, F83:164-168
- Linnen R.L.: A fluid inclusion study of the syenite-hosted "True Blue" aquamarine occurrence, Yukon Territory, Canada, 114 (Fall)
- Liu H., see Li J.
- Liu S.: Monochromatic X-ray topographic characterization of pezzottaite with synchrotron radiation, F06:100-101
- Liu Yan: Universal color grading system, F06:101
- Liu Yan, see also King J.M. and Wang Fuquan
- Liu Ying, see Li J.
- London D.: Geochemical cycles of gem-forming elements: What it takes to make tourmaline, beryl, topaz, spodumene, and other pegmatitic gems, F06:108-109
- The miarolitic stage in granitic pegmatites: How Mother Nature makes big, clear crystals, F06:109
- Lowell J., Koivula J.I.: Amethyst from Four Peaks, Arizona, F04:230-238
- Lowry S.: Automating the infrared and Raman spectral analysis of gemstones, F06:91
- Lu T.: Some dissolution features observed in natural diamonds, F06:138
- Lu T., see also Balitsky V.S. and Shigley J.E.
- Lucas A.: The emerald business in South America, F06:158
- Lule-Whipp C.: Chromium chalcodony from Turkey and its possible archeological connections, F06:115
- Luo H., see Li J.
- Lustenhouwer W.J., see Zwaan J.C.

M

- Ma L.: Developments and challenges of the China diamond market, F06:25
- Maddison P., see Johnson M.L. and Kammerling R.C.
- Magazina L.O., see Titkov S.V.
- Magner S.: Perspective of a high-end jeweler, F99:107-108
- Maini L.: The identification of gemstones by photoluminescence: Synthetic and natural Mg-Al spinels, F06:125
- Makhina I.B., see Balitsky V.S.
- Malinovsky I.Y., see Shigley J.E.
- Malsy A.-K., see Schwarz D.
- Maltezos G., see Gilbertson A.
- Maltsev V.S., see Thomas V.G.
- Manandhar M.N., see Smith C.P.
- Manning G.: Snake oil or cedar oil: Have your colored stones been enhanced, and are you telling the tale? F99:70
- Manson D.V., Stockton C.M.:
Gem garnets in the red-to-violet color range, W81:191-204
Gem-quality grossular garnets, W82:204-213
Pyrope-spessartine garnets with unusual color behavior, W84:200-207
A response to "A new classification for red-to-violet garnets," Sp83:41-42
- Manson D.V., see also Hofer S.C. and Stockton C.M.
- Mar'in A.A., see Balitsky V.S.
- Martin D.D.: Gemstone durability: Design to display, Su87:63-77
- Martin F., Mérigoux H., Zecchini P.: Reflectance infrared spectroscopy in gemology, W89:226-231
- Martineau P.M., Lawson S.C., Taylor A.J., Quinn S.J., Evans D.J.F., Crowder M.J.: Identification of synthetic diamond grown using chemical vapor deposition (CVD), Sp04:2-25
- Martini M., see Graziani G.
- Márza I.: The Techereu gemological field, F99:151
- Mashkovtsev R.I., see Thomas V.G.
- Massi L.: Chameleon diamonds: A proposed model to explain thermochromic and photochromic behaviors, F06:101-102
- Mattice G.: Demantoid garnet from the Ural Mountains, Russia, F99:151-152
- McClure S.F.:
Identification challenges of the new millennium, F99:86-87
New colored stone treatments, F06:29-30
Source type classification of gem corundum, F06:102
- McClure S.F., Kammerling R.C.: A visual guide to the identification of filled diamonds, Su95:114-119
- McClure S.F., Kammerling R.C., Fritsch E.: Update on diffusion-treated corundum: Red and other colors, Sp93:16-28
- McClure S.F., King J.M., Koivula J.I., Moses T.M.: A new laser technique for diamond, Su00:138-146
- McClure S.F., Koivula J.I.: A new method for imitating asterism, Su01:124-128
- McClure S.F., Moses T.M., Tannous M., Koivula J.I.: Classifying emerald clarity enhancement at the GIA Gem Trade Laboratory, W99:176-185
- McClure S.F., Shen A.H.: Coated tanzanite, Su08:142-147
- McClure S.F., Smith C.P.: Gemstone enhancement and detection in the 1990s, W00:336-359
- McClure S.F., Smith C.P., Wang W., Hall M.: Identification and durability of lead glass-filled rubies, Sp06:22-34
- McClure S.F., see also Balitsky V.S., van der Bogert C.H., Emmett J.L., Fritsch E., Johnson M.L., Kammerling R.C., Kane R.E., Laurs B.M., Moses T.M., Nassau K., Reinitz I.M., Sauer D.A., Shen A.H., Shigley J.E., and Smith C.P.
- McKenzie L.: Cultured abalone mabé pearls from New Zealand, F99:172
- McMillan N.J.: Fingerprinting gem beryl samples using laser-induced breakdown spectroscopy (LIBS) and portable X-ray fluorescence (PXRF), F06:126
- Medenbach O., see Schmetzer K.
- Mehta R.: India: The jewel in the crown, F06:62
- Mendes J.C., see Epstein D.S.
- Menzhausen J., see Kane R.E.
- Menzie J.: The impact of treatments on selling colored stones, F06:30-31
- Mercer M.E.: Methods for determining the gold content of jewelry metals, W92:222-233
- Mercer M.E., see also Fritsch E. and Johnson M.L.
- Mérigoux H., see Martin F.
- Merkel P.B., Breeding C.M.: Spectral differentiation between copper and iron colorants in gem tourmalines, Su09:112-119
- Merlini M., see Adamo I.
- Mernagh T.P., see Millsted P.W.
- Métivier B., see Karamelas S.
- Meyer H.O.A., Gübelin E.J.: Ruby in diamond, F81:153-156
- Michailidis N.: Challenger gemological spectrometer, F06:164-165
- Miciak A.R., see Sevdermish M.
- de Mille C.N., see Murphy A.R.
- Miller A.: Jewelry appraising: Professionalism in the new millennium, F99:168
- Millsted P.: Faceting transparent rhodonite from Broken Hill, New South Wales, Australia, Su06:151-158
- Millsted P.W., Mernagh T.P., Otieno-Alego V., Creagh D.C.: Inclusions in transparent gem rhodonite from Broken Hill, New South Wales, Australia, F05:246-254
- Mineeva R.M., see Titkov S.V.
- Misiorowski E.B.:
Early 20th century jewelry, F99:99-100
Jewelry of the 1980s: A retrospective, Sp90:76-93
Jewelry of the 1990s, W00:398-417
- Misiorowski E.B., Dirlam D.M.: Art Nouveau: Jewels and jewelers, W86:209-228
- Misiorowski E.B., Hays N.K.: Jewels of the Edwardians, F93:152-171
- Misiorowski E.B., see also Dirlam D.M. and Fritsch E.
- Mitchell M.A.: The Indian perspective: Challenges and new developments, F99:47-48
- Moe K.S., Moses T.M., Johnson P.: Polymer-impregnated turquoise, Su07:149-151
- Moe K.S., see also Wang W.
- Mohideen H.M. Sultan: India—Old sources and new finds, F06:115-116
- Moldes R., see Kane R.E.
- Monteforte M., see Cariño M.
- Moon M., see Fritsch E. and Shigley J.E.
- Mora C., see Kane R.E.
- Moreno D.M., see Kiefert L.
- Morris R.L.: Adapting classic designs to modern markets, F99:103
- Moses T.M., Johnson M.L., Green B., Blodgett T., Cino K., Geurts R.H., Gilbertson A.M., Hemphill T.S., King J.M., Kornylak L., Reinitz I.M., Shigley J.E.: A foundation for grading the overall cut quality of round brilliant cut diamonds, F04:202-228
- Moses T.M., Reinitz I., Fritsch E., Shigley J.E.: Two treated-color synthetic red diamonds seen in the trade, F93:182-190
- Moses T.M., Reinitz I.M., Johnson

- M.L., King J.M., Shigley J.E.: A contribution to understanding the effect of blue fluorescence on the appearance of diamonds, W97:244-259
- Moses T.M., Shigley J.E.: G. Robert Crowningshield: A legendary gemologist, F03:184-199
- Moses T.M., Shigley J.E., McClure S.F., Koivula J.I., Van Daele M.: Observations on GE-processed diamonds: A photographic record, F99:14-22
- Moses T.M., see also Akamatsu S., Emmett J.L., Fritsch E., Kammerling R.C., King J.M., McClure S.F., Moe K.S., Reinitz I.M., Scarratt K., Shen A.H., Shigley J.E., and Wang W.
- Mouawad F., see Peretti A.
- Muhlmeister S., Fritsch E., Shigley J.E., Devouard B., Laurs B.M.: Separating natural and synthetic rubies on the basis of trace-element chemistry, Su98:80-101
- Muhlmeister S., Koivula J.I., Kammerling R.C., Smith C.P., Fritsch E., Shigley J.E.: Flux-grown synthetic red and blue spinels from Russia, Su93:81-98
- Muhlmeister S., see also Fritsch E., Johnson M.L., Kammerling R.C., Laurs B.M., Shigley J.E., and Zwaan J.C.
- Muller A.: Cultured South Sea pearls, F99:77-79
- Murphy A.R., Hozjan D.J., de Mille C.N., Levinson A.A.: Pre-Columbian gems and ornamental materials from Antigua, West Indies, F00:234-245
- Mychaluk K.A.:
The Yogo sapphire deposit, Sp95:28-41
Update on Ammolite production from southern Alberta, Canada, F09:192-196
- Mychaluk K.A., Levinson A.A., Hall R.L.: Ammolite: Iridescent fossilized ammonite from southern Alberta, Canada, Sp01:4-25
- N**
- Nagle K., see Koivula J.I.
- Nakazono H., see Abduriyim A.
- Nassau K.:
Altering the color of topaz, Sp85:26-34
Artificially induced color in amethyst-citrine quartz, Sp81:37-39
Cubic zirconia: An update, Sp81:9-19
The early history of gemstone treatments, Sp84:22-33
Green glass made of Mount Saint Helens ash? Su86:103-104
Heat treating ruby and sapphire: Technical aspects, F81:121-131
An overview of gemstone treatments, F99:95-96
Synthetic forsterite and synthetic peridot, Su94:102-108
Synthetic gem materials in the 1980s, Sp90:50-63
- Nassau K., Hanson A.E.: The pearl in the chicken: Pearl recipes in *Papyrus Holmiensis*, W85:224-231
- Nassau K., Lewand E.A.: Mildly radioactive rhinestones and synthetic spinel-and-glass triplets, W89:232-235
- Nassau K., McClure S.F., Elen S., Shigley J.E.: Synthetic moissanite: A new diamond substitute, W97:260-275
- Nassau K., Prescott B.E.: Nonfading Maxixe-type beryl? W81:217-219
- Nassau K., Rossman G.R., Wood D.L.: Unstable radiation-induced yellow-green color in grossular garnet, F92:188-191
- Nassau K., Shigley J.E.: A study of the General Electric synthetic jadeite, Sp87:27-35
- Nassau K., Valente G.K.: The seven types of yellow sapphire and their stability to light, W87:222-231
- Nelen J.E., see Dietrich R.V.
- Newton M.: Treated diamond: A physicist's perspective, F06:84-85
- Niedermayr G., see Brandstätter F.
- Niklewicz D.: The Gem & Mineral Council, F99:161
- Nordrum F.S., see Rondeau B.
- Notari F., see Hainschwang T.
- Novak S., see Emmett J.L., Shen A.H.
- O**
- Ohki S., see Abduriyim A.
- Ohnenstetter D., see Schwarz D.
- Okano M., see Kitawaki H.
- Oo T., see Hughes R.W.
- Ostrooumov M., see Fritsch E.
- Otieno-Alego V., see Millstead P.W.
- Ottaway T.: Dynamic Earth: Inco Ltd. Gallery of Earth Sciences, F99:162
- Ottomeyer H., see Dröschel R.
- Overlin S., Dirlam D.M.: Celebrating 75 years of *Gems & Gemology*, Su09:80-95
- Overlin S., see also Dirlam D.M., Kane R.E.
- Overton T.W.:
Gem treatment disclosure and U.S. law, Su04:106-127
Legal protection for proprietary diamond cuts, W02:310-325
Silicosis risks for lapidary workers in developing countries, F06:165
- Overton T.W., Shigley J.E.: A history of diamond treatments, Sp08:32-55
- Owens P.A.: Infrared spectroscopy as a discriminant between natural and manufactured glasses, F99:152
- Owens P.A., see also Koivula J.I.
- P**
- Paget D.: Canadian diamond production: A government perspective, F99:40-42
- Palanza V., see Adamo I.
- Pal'yanov Y.N., see Shigley J.E.
- Paradise T.R.: The natural formation and occurrence of green quartz, Sp82:39-42
- Pardieu V., see Schwarz D.
- Paspaley N.: The challenges and opportunities of growing and marketing South Sea cultured pearls, F06:38
- Pavese A., see Adamo I.
- Pay D.: Course development at the Gemological Institute of America, F06:162
- Payne T.: The andradites of San Benito County, California, F81:157-160
- Peach J.L. Sr.: Freshwater pearls: New millennium—new pearl order, F99:75
- Pearson C.: The effect of international economic developments on the diamond market, F99:50
- Peretti A., Schmetzer K., Bernhardt H.-J., Mouawad F.: Rubies from Mong Hsu, Sp95:2-25
- Peretti A., see also Laurs B.M., Schmetzer K., and Smith C.P.
- Perret E.:
Color treatment of diamonds and their potential in designer jewelry, F06:159-160
Designing colored diamond jewelry, F99:170-171
- Perrin E.: Defeating the bling, F06:49-50
- Petersen O.V., see Jensen A.
- Petsch E.J., see Schwarz D. and Zwaan J.C.
- Peucat J.-J., see Rondeau B.
- Pezzotta F.: New gem localities in Madagascar, F06:116
- Pezzotta F., see also Dirlam D.M., Guastoni A., and Laurs B.M.
- Phillips W.R., Talantsev A.S.: Russian demantoid, czar of the garnet family, Su96:100-111
- Pienaar H.S.: Gem-quality friedelite from the Kalahari manganese field near Kuruman, South Africa, W82:221-224

- Pisutha-Armond V.: Role of beryllium in the coloration of Fe- and Cr-doped synthetic corundum, F06:85
- Poli L.: The Italian and European goldsmith industry: Current status and possible future scenarios, F06:59-60
- Ponahlo J., see Smith C.P.
- Pope S.: High-pressure, high-temperature (HPHT) diamond processing: What is this technology and how does it affect color? F06:120
- Post J.E.: X-ray diffraction using area detectors for mineral and gem characterization, F06:91-92
- Post J.E., see also Eaton-Magaña S., Gaillou E.
- Prescott B.E., see Nassau K.
- Proctor K.:
Chrysoberyl and alexandrite from the pegmatite districts of Minas Gerais, Brazil, Sp88:16-32
Gem pegmatites of Minas Gerais, Brazil: Exploration, occurrence, and aquamarine deposits, Su84:78-100
Gem pegmatites of Minas Gerais, Brazil: The tourmalines of the Araçuaí districts, Sp85:3-19
Gem pegmatites of Minas Gerais, Brazil: The tourmalines of the Governador Valadares district, Su85:86-104
- Prosperi L., see Adamo I.
- Prudden J.M.: Geology of placer gem deposits, F06:149
- Pruwer M.: The Antwerp diamond sector, F99:46
- Prygov V.I., see Balitsky V.S.
- Q**
- Qiu Y., see Rossman G.R.
- Quinn E.P., see Laurs B.M.
- Quinn S.J., see Martineau P.M.
- R**
- Raff B.: The multichannel approach, F06:55-56
- Ramsey J.L.: The cutting properties of kunzite, W81:220-225
- Rapaport M.:
Diamond economics: A dynamic analysis, F99:51
Diamond industry of the future, F06:27
- Rauch T., see Gabasch H.
- Read P.G.: A computer program for gem identification, F83:157-163
- Reinitz I.M.:
Identifying diamond treatments, F99:88-89
The role of brilliantteering variations in the GIA Cut Grading System, F06:138-139
- Reinitz I.M., Buerki P.R., Shigley J.E., McClure S.F., Moses T.M.:
Identification of HPHT-treated yellow to green diamonds, Su00:128-137
- Reinitz I.M., Johnson M.L., Hemphill T.S., Gilbertson A.M., Geurts R.H., Green B.D., Shigley J.E.:
Modeling the appearance of the round brilliant cut diamond: An analysis of fire, and more about brilliance, F01:174-197
- Reinitz I.M., see also Hemphill T.S., Koivula J.I., Moses T.M., Rooney M.-L.T., and Shigley J.E.
- Renfro N.D., see Shigley J.E.
- Repetto S., see Kammerling R.C., Kane R.E., and Smith C.P.
- Richardson P.: Preliminary observations of a new polishing process for colored gems, F06:139-140
- Rijsdijk K.F., see Laurs B.M.
- Ringsrud R.:
The Coscuez mine: A major source of Colombian emeralds, Su86:67-79
Gota de aceite: Nomenclature for the finest Colombian emeralds, F08:242-245
The oil treatment of emeralds in Bogotá, Colombia, F83:149-156
Subjectivity in gemology, F06:165-166
- Robbins S.: Reinventing = Transformation, F06:47-48
- Robert D., Fritsch E., Koivula J.I.: "Emeraldolite": A new synthetic emerald overgrowth on natural beryl, W90:288-293
- Rockman H.B.: Obtaining U.S. copyright registration for the Elara square cut-cornered brilliant diamond, F03:210-213
- Rohtert W.: Three parageneses of ruby and pink sapphire discovered at Fiskensæset, Greenland, F06:149-150
- Rohtert W., see also Laurs B.M.
- Rondeau B.: Some open questions on diamond morphology, F06:109-110
- Rondeau B., Fritsch E., Peucat J.-J., Nordrum F.S., Groat L.:
Characterization of emeralds from a historical deposit: Byrud (Eidsvoll), Norway, Su08:108-122
- Rondeau B., see also Karampelas S.
- Rooney M.-L.T., Welbourn C.M., Shigley J.E., Fritsch E., Reinitz I.:
De Beers near colorless-to-blue experimental gem-quality synthetic diamonds, Sp93:38-45
- Rossman G.R.:
Characterization of nanofeatures in gem materials, F06:92
Color in gems: The new technologies, Su81:60-71
New technologies used to identify colored stone treatments, F06:32
- Rossman G.R., Kirschvink J.L.:
Magnetic properties of gem-quality synthetic diamonds, F84:163-166
- Rossman G.R., Qiu Y.:
Radioactive irradiated spodumene, Su82:87-89
- Rossman G.R., see also Balitsky V.S., Fritsch E., Laurs B.M., Nassau K., and Vasconcelos P.M.
- Rothman G.:
Battle of the minds, F06:26
- Rothschild G.L.S.:
The developing market in China, F99:59
- Rupasinghe M.S., see Dissanayake C.B. and Gunawardene M.
- S**
- Samuel J.H. Jr.:
The marketing of period jewelry during the 20th century and into the next millennium, F99:101-102
- Sariiz K., Isik I.:
Meerschaum from Eskisehir Province, Turkey, Sp95:42
- Sauer D.A.:
South America: The birth of a new jewelry-consuming market, F99:71-72
- Sauer D.A., Keller A.S., McClure S.F.:
An update on Imperial topaz from the Capão mine, Minas Gerais, Brazil, W96:232-241
- Sauer D.A., see also Cassedanne J.P.
- Saul J.M., see Schwarz D.
- Scarlsbrick D.:
Chaumet—A very Parisian jeweler, F99:97
- Scarratt K.:
Focusing on cultured pearl treatments, F06:40-41
The identification of artificial coloration in diamond, Su82:72-78
The identification of ruby and sapphire, F99:82-83
The treatment of ruby and sapphire, with implications for gem identification and the integrity of the product, F06:85-86
- Scarratt K., Beaton D., DuToit G.:
Jeremejevite: A gemological update, F01:206-211
- Scarratt K., Moses T.M., Akamatsu S.:
Characteristics of nuclei in Chinese freshwater cultured pearls, Su00:98-109
- Scarratt K., Shor R.:
The Cullinan diamond centennial: A history and gemological analysis of Cullinans I and II, Su06:120-132
- Scarratt K., see also Akamatsu S., Emmett J.L., Fritsch E., Kammer-

- ling R.C., Smith C.P., and Wang W.
Schechter J.: Chinese freshwater cultured pearl ~~revolution~~ evolution, F06:40
- Scheepers R.: Controls on mineralization in Block D' of the Merelani tanzanite deposit, Tanzania, F06:150
- Scherer A., see Gilbertson A.
- Schlüter J., Weitschat W.: Bohemian garnet—Today, F91:168-173
- Schmetzer K.:
Clues to the process used by General Electric to enhance the GE POL diamonds, W99:186-190
Distinguishing natural from synthetic emeralds, F99:84-85
Growth method and growth-related properties of a new type of Russian hydrothermal synthetic emerald, Sp96:40-43
Hydrothermally grown synthetic aquamarine manufactured in Novosibirsk, USSR, F90:206-211
- Schmetzer K., Bank H.: Investigation of a cat's-eye scapolite from Sri Lanka, Su83:108-110
- Schmetzer K., Bank H., Stähle V.: The chromium content of Lechleitner synthetic emerald overgrowth, Su81:98-100
- Schmetzer K., Bernhardt H.-J.: Garnets from Madagascar with a color change of blue-green to purple, W99:196-201
- Schmetzer K., Bernhardt H.-J., Biehler R.: Emeralds from the Ural mountains, USSR, Su91:86-99
- Schmetzer K., Bosshart G., Bernhardt H.-J., Gübelin E.J., Smith C.P.: Serendibite from Sri Lanka, Sp02:73-79
- Schmetzer K., Burford M., Kiefert L., Bernhardt H.-J.: The first transparent faceted grandidierite, from Sri Lanka, Sp03:32-37
- Schmetzer K., Hainschwang T., Bernhardt H.-J., Kiefert L.: New chromium- and vanadium-bearing garnets from Tranoroa, Madagascar, Su02:148-155
- Schmetzer K., Hainschwang T., Kiefert L., Bernhardt H.-J.: Pink to pinkish orange Malaya garnets from Bekily, Madagascar, W01:296-308
- Schmetzer K., Hänni H.A., Bernhardt H.-J., Schwarz D.: Trapiche rubies, W96:242-250
- Schmetzer K., Hänni H.A., Jegge E.P., Schupp F.-J.: Dyed natural corundum as a ruby imitation, Su92:112-115
- Schmetzer K., Henn U.: Synthetic or imitation? An investigation of the products of Kyocera Corporation that show play-of-color, F87:148-151
- Schmetzer K., Kiefert L., Bernhardt H.-J.: Purple to purplish red chromium-bearing taaffeites, Sp00:50-59
- Schmetzer K., Kiefert L., Bernhardt H.-J., Beili Z.: Characterization of Chinese hydrothermal synthetic emerald, W97:276-289
- Schmetzer K., Medenbach O.: Examination of three-phase inclusions in colorless, yellow, and blue sapphires from Sri Lanka, Su88:107-111
- Schmetzer K., Peretti A.: Some diagnostic features of Russian hydrothermal synthetic rubies and sapphires, Sp99:17-28
- Schmetzer K., Peretti A., Medenbach O., Bernhardt H.-J.: Russian flux-grown synthetic alexandrite, F96:186-202
- Schmetzer K., Schupp F.-J.: Flux-induced fingerprint patterns in synthetic ruby: An update, Sp94:33-38
- Schmetzer K., see also Gübelin E.J., Hänni H.A., Koivula J.I., Lind Th., Peretti A., Schwarz D., Shigley J.E., and Smith C.P.
- Schmidt S.T., see Kiefert L.
- Schnitzer S.: Diamond manufacturing and distribution: The Israeli perspective, F99:49
- Schoeckert K.P.: Is ideal really ideal? How the cut affects the beauty of diamonds, F99:159-160
- Schubiger B., see Hänni H.A.
- Schupp F.-J., see Schmetzer K.
- Schwarz D.:
Emeralds from the Mananjary Region, Madagascar: Internal features, Su94:88-101
Emeralds—Recent developments and projected changes in supply, F99:62-63
- Schwarz D., Kanis J., Schmetzer K.: Sapphires from Antsiranana Province, northern Madagascar, F00:216-233
- Schwarz D., Pardieu V., Saul J.M., Schmetzer K., Laurs B.M., Giuliani G., Klemm L., Malsy A.-K., Erel E., Hauzenberger C., Du Toit G., Fallick A.E., Ohnenstetter D.: Rubies and sapphires from Winza, central Tanzania, W08:322-347
- Schwarz D., Petsch E.J., Kanis J.: Sapphires from the Andranondambo Region, Madagascar, Su96:80-99
- Schwarz D., see also Abduriyim A., Schmetzer K.
- Schwieger R.: Diagnostic features and heat treatment of Kashmir sapphires, W90:267-280
- Seal II R.R., see Bowersox G.W.
- Seifert A.V., Hyrsl J.: Sapphire and garnet from Kalalani, Tanga Province, Tanzania, Su99:108-120
- Seifert A.V., see also Zwaan J.C.
- Sergeev A.M., see Titkov S.V.
- Sevdermish M.: Color communication: The analysis of color in gem materials, F06:102-103
- Sevdermish M., Miciak A.R., Levinson A.A.: The rise to prominence of the modern diamond cutting industry in India, Sp98:4-23
- Shank S.C.: Gem artists of North America: The renaissance of modern lapidary art, F99:171
- Shen A.H.: Identification of dyed chrysocolla chalcedony, F06:140
- Shen A.H., Wang W., Hall M.S., Novak S., McClure S.F., Shigley J.E., Moses T.M.: Serenity coated colored diamonds: Detection and durability, Sp07:16-34
- Shen A.H., see also Du Toit G., Koivula J.I., McClure S.F., Shigley J.E., Wang W.
- Shepherd J., see Fiske D.
- Shi G.-H.: Texture and composition of kosmochlor and chromian jadeite aggregates from Myanmar: Implications for the formation of green jadeite, F06:150-151
- Shigley J.E.:
California benitoite: A proven mineable reserve and new gemological data, F99:152-153
The ongoing challenge of diamond identification, F99:80-81
- Shigley J.E., Abbaschian R., Clarke C.: Gemesis laboratory-created diamonds, W02:301-309
- Shigley J.E., Breeding C.M., Shen A.H.: An updated chart on the characteristics of HPHT-grown synthetic diamonds, W04:303-313
- Shigley J.E., Chapman J., Ellison R.K.: Discovery and mining of the Argyle diamond deposit, Australia, Sp01:26-41
- Shigley J.E., Cook B.C., Laurs B.M., Bernardes de Oliveira M.: An update on "Paraíba" tourmaline from Brazil, W01:260-276
- Shigley J.E., Dirlam D.M., Laurs B.M., Boehm E.W., Bosshart G., Larson W.F.: Gem localities of the 1990s, W00:292-335
- Shigley J.E., Dirlam D.M., Schmetzer K., Jobbins E.A.: Gem localities of the 1980s, Sp90:4-31
- Shigley J.E., Foord E.E.: Gem-quality

- red beryl from the Wah Wah Mountains, Utah, W84:208-221
- Shigley J.E., Fritsch E., Koivula J.I., Sobolev N.V., Malinovsky I.Y., Pal'yanov Y.N.: The gemological properties of Russian gem-quality synthetic yellow diamonds, W93:228-248
- Shigley J.E., Fritsch E., Reinitz I.: Two near-colorless General Electric type-IIa synthetic diamond crystals, F93:191-197
- Shigley J.E., Fritsch E., Reinitz I., Moon M.: An update on Sumitomo gem-quality synthetic diamonds, Su92:116-122
- Shigley J.E., Fritsch E., Reinitz I., Moses T.M.: A chart for the separation of natural and synthetic diamonds, W95:256-264
- Shigley J.E., Fritsch E., Stockton C.M., Koivula J.I., Fryer C.W., Kane R.E.: The gemological properties of the Sumitomo gem-quality synthetic yellow diamonds, W86:192-208
- Shigley J.E., Fritsch E., Stockton C.M., Koivula J.I., Fryer C.W., Kane R.E., Hargett D.R., Welch C.W.: The gemological properties of the De Beers gem-quality synthetic diamonds, W87:187-206
- Shigley J.E., Kampf A.R.: Gem-bearing pegmatites: A review, Su84:64-77
- Shigley J.E., Koivula J.I.: Amethystine chalcedony, W85:219-223
- Shigley J.E., Koivula J.I., Fryer C.W.: The occurrence and gemological properties of Wessels mine sugilite, Su87:78-89
- Shigley J.E., Laurs B.M., Renfro N.D.: Chrysoprase and prase opal from Haneti, central Tanzania, W09:271-279
- Shigley J.E., McClure S.F., Breeding C.M., Shen A.H., Muhlmeister S.M.: Lab-grown colored diamonds from Chatham Created Gems, Su04:128-145
- Shigley J. E., McClure S.F., Cole J.E., Koivula J.I., Lu T., Elen S., Demianets L.N.: Hydrothermal synthetic red beryl from the Institute of Crystallography, Moscow, Sp01:42-55
- Shigley J.E., McClure S.F., Koivula J.I., Moses T.M.: New filling material for diamonds from Oved Diamond Company: A preliminary study, Su00:147-153
- Shigley J.E., Moses T.M., Reinitz I., Elen S., McClure S.F., Fritsch E.: Gemological properties of near-colorless synthetic diamonds, Sp97:42-53
- Shigley J.E., Stockton C.M.: "Cobalt-blue" gem spinels, Sp84:34-41
- Shigley J.E., Thompson T.J., Keith J.D.: Red beryl from Utah: A review and update, W03:302-313
- Shigley J.E., see also Ashbaugh III C.E., Balitsky V.S., Bowersox G.W., Breeding C.M., Dirlam D.M., Emmett J.L., Faulkner M.J., Fritsch E., Gilbertson A., Hemphill T.S., Johnson M.L., Kammerling R.C., Kane R.E., King J.M., Moses T.M., Muhlmeister S., Nassau K., Overton T.W., Reinitz I.M., Rooney M.-L.T., Shen A.H., Titkov S.V., and Wang W.
- Shimizu T., see Abduriyim A.
- Shor R.:
From single source to global free market: The transformation of the cultured pearl industry, F07:200-226
Retail markets and the growing global significance of branding, F99:53-54
A review of the political and economic forces shaping today's diamond industry, F05:202-233
- Shor R., Weldon R.: Ruby and sapphire production and distribution: A quarter century of change, W09:236-259
- Shor R., see also Scarratt K.
- Shteinberg A.S., see Balitsky V.S.
- Simic D., see Hainschwang T.
- Simmons W.B., Laurs B.M., Falster A.U., Koivula J.I., Webber K.L.: Mt. Mica: A renaissance in Maine's gem tourmaline production, Su05:150-163
- Simmons W.B., see also Dirlam D.M., Laurs B.M., and Zwaan J.C.
- Singbamroong S.: Sapphires from Ban Huai Sai, Laos, F06:103
- Singer D.: The mark of excellence in jewelry, F06:43
- Sinkankas J.:
Artistry in rock crystal: The Van Pelt collection, W82:214-220
Contributions to a history of gemology: Specific gravity origins and development of the hydrostatic method, F86:156-165
- Sinkankas J., Koivula J.I., Becker G.: Peridot as an interplanetary gemstone, Sp92:43-51
- Sripant S.: A color communication system for gemstones, F99:162-163
- Sivovolenko S.:
Fancy-color diamonds: Better color appearance by optimizing cut, F06:104-105
Study of interdependence: Fancy-color diamond appearance, cut, and lighting conditions, F06:140
- Sivtsov A.V., see Titkov S.V.
- Smirnov S.:
Color grading of color-enhanced natural diamonds: A case study of Imperial Red diamonds, F06:126-127
New hydrothermal synthetic gemstones from Taurus, Novosibirsk, Russia, F99:175-176
- Smirnov S., see also Thomas V.G.
- Smith C.P.:
"Diffusion ruby" proves to be synthetic ruby overgrowth on natural corundum, F02:240-248
Infrared spectra of gem corundum, F06:92-93
Introduction to analyzing internal growth structures: Identification of the negative *d* plane in natural ruby, F96:170-184
- Smith C.P., Bosshart G.: Star of the South: A historic 128 ct diamond, Sp02:54-64
- Smith C.P., Bosshart G., Graeser S., Hänni H., Günther D., Hametner K., Gübelin E.J.: Poudretteite: A rare gem species from the Mogok Valley, Sp03:24-31
- Smith C.P., Bosshart G., Ponahlo J., Hammer V.M.F., Klapper H., Schmetzer K.: GE POL diamonds: Before and after, F00:192-215
- Smith C.P., Gübelin E.J., Bassett A.M., Manandhar M.N.: Rubies and fancy-color sapphires from Nepal, Sp97:24-41
- Smith C.P., Kammerling R.C., Keller A.S., Peretti A., Scarratt K.V., Khoa N.D., Repetto S.: Sapphires from southern Vietnam, F95:168-186
- Smith C.P., McClure S.F.: Chart of commercially available gem treatments, W02:294-300
- Smith C.P., McClure S.F., Eaton-Magaña S., Kondo D.M.: Pink-to-red coral: A guide to determining origin of color, Sp07:4-15
- Smith C.P., see also Adamo I., van der Bogert C.H., Bowersox G.W., Kane R.E., McClure S.F., Muhlmeister S., Schmetzer K., and Wang W.
- Smith H.S., see Gurney J.J.
- Smith K.L.: Opal from Opal Butte, Oregon, W88:229-236
- Smith M., see Hughes R.W.
- Snee L.W.:
Afghanistan gem deposits: Studying newly reopened classics and looking for new deposits, F06:116-117

- Pegmatite genesis—Complex or simple emplacement?
Revisiting southern California pegmatites, F06:151-152
- Snee L.W., see also Bowersox G.W.
- Sobolev N.V.:
The new Komsomolskaya mine in Yakutia, Russia: Unique features of its diamonds, F06:117
Russian diamond sources, F99:43
- Sobolev N.V., see also Shigley J.E.
- Solodova Y.: Comparative investigation of diamonds from various pipes in the Malaya-Botuobiya and Daldyn-Alakit areas (Siberia), F06:141-142
- Sorokina S.L., see Balitsky V.S.
- Spear P.M., see Welbourn C.M.
- Spencer L.K., Dikinis S.D., Keller P.C., Kane R.E.: The diamond deposits of Kalimantan, Borneo, Su88:67-80
- Spencer R.J., Levinson A.A., Koivula J.I.: Opal from Querétaro, Mexico: Fluid inclusion study, Sp92:28-34
- Spits R.A., see Fisher D.
- Stähle V., see Schmetzer K.
- Stark K.B., see Dirlam D.M.
- Stockton C.M.:
The chemical distinction of natural from synthetic emeralds, F84:141-145
Pastel pyropes, Su88:104-106
The separation of natural from synthetic emeralds by infrared spectroscopy, Su87:96-99
Two notable color-change garnets, Su82:100-101
- Stockton C.M., Kane R.E.: The distinction of natural from synthetic alexandrite by infrared spectroscopy, Sp88:44-46
- Stockton C.M., Manson D.V.:
Gem andradite garnets, W83:202-208
Peridot from Tanzania, Su83:103-107
A proposed new classification for gem-quality garnets, W85:205-218
Scanning electron microscopy in gemology, Su81:72-79
- Stockton C.M., see also Fritsch E., Manson D.V., and Shigley J.E.
- Strack E.: European freshwater pearls: Origin, distribution, and characteristics, F06:105
- Stuller M.: Meeting customer needs, F99:111
- Sturman D.B.: Study of the biaxial gemstones on the refractometer, F06:127
- Sturman N.: The “keshi” pearl issue, F06:142
- Sucher S.: A crystallographic analysis of the Tavernier Blue diamond, F09:178-185
- Sucher S., Carriere D.P.: The use of laser and X-ray scanning to create a model of the historic Koh-i-Noor diamond, Su08:124-141
- Sucher S., see also Farges F.
- Suleman A.K.: Colored stone sources in Africa and Madagascar, F99:66-67
- Sun T.T., see Hughes R.W.
- Sun Y., see Li J.
- Sunagawa I.: Growth, morphology, and perfection of single crystals: Concepts in discriminating natural from synthetic gemstones, F06:112
- Sunagawa I., Yasuda T., Fukushima H.: Fingerprinting of two diamonds cut from the same rough, W98:270-280
- Superchi M.: Gemological investigation of multicolored tourmalines from new localities in Madagascar, F06:156
- Superchi M., see also Guastoni A.
- Sussmann R.S., see Wang W.
- Sutthirat C.: Indications of heating in corundum from experimental results, F06:86
- Suwa Y.:
The jewelry market in Japan in 2020, F06:58-59
Will there be another chance for business in the Asian colored stone jewelry market? F99:68-69
- Swarovski N.: Reinventing Swarovski, F06:46
- Sweaney J.L., Latendresse J.R.: Freshwater pearls of North America, F84:125-140
- T**
- Taijing L., see Balitsky V.S.
- Talantsev A.S., see Phillips W.R.
- Tallaire A., see Wang W.
- Tannenbaum E.: Magellan’s guide to the diamond universe, F06:23
- Tannous M., see Koivula J.I. and McClure S.F.
- Tansho M., see Abduriyim A.
- Tashey T.E.:
Gem Quality Index (GQI), F99:163-164
A system to describe the face-up color appearance of white and off-white polished diamonds, F06:142-143
- Taylor A.J., see Martineau P.M.
- Taylor M.C.:
The first California gem tourmaline locality, F99:153-154
The gel model for the formation of gem-bearing pockets within granitic pegmatites, and implications for gem synthesis, F06:110-111
- Tempelsman M.:
Globalization and technology: Dynamic forces for the 21st century, F99:2-7
Transitions and traditions, F06:7-12
- Tennakoon S.: In-situ corundum localities in Sri Lanka: New occurrences, F06:117-118
- Thomas S.A.: “Modern” jewelry: Retro to Abstract, Sp87:3-17
- Thomas S.A., Lee H.W.: Gemstone carving in China: Winds of change, Sp86:24-34
- Thomas S.A., see also Dirlam D.M.
- Thomas V.G., Mashkovtsev R.I., Smirnov S.Z., Maltsev V.S.: Taurus hydrothermal synthetic sapphires doped with nickel and chromium, F97:188-202
- Thompson S.E.: “Voices of the Earth”: Transcending the traditional in lapidary arts, W01:310-317
- Thompson T.J., see Shigley J.E.
- Tian L.: Sapphires from Shandong, China, F99:154
- Titkov S.V.: Inclusions in white-gray diamonds of cubic habit from Siberia, F06:127-128
- Titkov S.V., Shigley J.E., Breeding C.M., Mineeva R.M., Zudin N.G., Sergeev A.M.: Natural-color purple diamonds from Siberia, Sp08:56-64
- Titkov S.V., Zudin N.G., Gorshkov A.I., Sivtsov A.V., Magazina L.O.: An investigation into the cause of color in natural black diamonds from Siberia, F03:200-209
- Tivol T.: Can a family business compete in the 21st century jewelry market? F99:112
- Tower J., see Wang W.
- Tozer R., see Dirlam D.M.
- Tretyakova L.I.: Reflection and scattering spectroscopy for nondestructive gem identification, F99:163
- Tucker E.: Jade forms from ancient China, Sp82:20-31
- U**
- Underwood T.:
Digital color communication for gemstones, with an exploration of applications within our industry, F06:143
Surface-enhanced topaz, F99:154-155

V

- Vagner K.: Gemological Institute of America's public outreach programs, F06:162-163
- Valente G.K., see Nassau K.
- Van Daele M., see Moses T.M.
- Van Royen J.: HPHT treatment of type IaB brown diamonds, F06:86-87
- Vasconcelos P.M., Wenk H.-R., Rossman G.R.: The Anahí ametrine mine, Bolivia, Sp94:4-23
- Vignola P., see Adamo I.
- Vins V.: Natural diamond enhancement: The transformation of intrinsic and impurity defects in the diamond lattice, F06:120-121
- Vrána S., see Zwaan J.C.

W

- Wagner R.M.: What does that emerald look like? How to communicate color and appearance across continents, F99:168-169
- Wakatsuki M., see Abduriyim A.
- Walters R.A., see Eaton-Magaña S., Krzemnicki M.S.
- Wan G.-D., see Keller P.C.
- Wan R.:
The Tahitian cultured pearl, F06:39
The Tahitian cultured pearl: Past, present, and future, F99:76
- Wang Fuquan: A gemological study of turquoise in China, Sp86:35-37
- Wang Fuquan, Guo J.: Chicken-blood stone from China, F89:168-170
- Wang Fuquan, Liu Y.: Garnets from Altay, China, W93:273-277
- Wang Fuquan, see also Guo J. and Keller P.C.
- Wang Furui: The sapphires of Penglai, Hainan Island, China, F88:155-160
- Wang W.: Developing corundum standards for LA-ICP-MS trace-element analysis, F06:105-106
- Wang W., Hall M., Breeding C.M.: Natural type Ia diamond with green-yellow color due to Ni-related defects, W07:240-243
- Wang W., Hall M.S., Moe K.S., Tower J., Moses T.M.: Latest-generation CVD-grown synthetic diamonds from Apollo Diamond Inc., W07:294-312
- Wang W., Moses T., Linares R.C., Shigley J.E., Hall M., Butler J.E.: Gem-quality synthetic diamonds grown by a chemical vapor deposition (CVD) method, W03:268-283
- Wang W., Scarratt K., Emmett J.L., Breeding C.M., Douthit T.R.: The effects of heat treatment on zircon inclusions in Madagascar sap-

- phires, Su06:134-150
- Wang W., Scarratt K., Hyatt A., Shen A.H., Hall M.: Identification of "chocolate pearls" treated by Ballerina Pearl Co., W06:222-235
- Wang W., Smith C.P., Hall M., Breeding C.M., Moses T.M.: Treated-color pink-to-red diamonds from Lucent Diamonds Inc., Sp05:6-19
- Wang W., Tallaire A., Hall M., Moses T.M., Achard J., Sussmann R.S., Gicquel A.: Experimental CVD synthetic diamonds from LIMHP-CNRS, France, F05:234-244
- Wang W., see also Emmett J.L., King J.M., McClure S.F.
- Ward F., see Hughes R.W.
- Wathanakul P.: Beryllium-assisted heat treatment experiments on blue sapphires, F06:87
- Webber K.L., see Simmons W.B.
- Weibel M., see Gübelin E.J.
- Weitschat W., see Schlüter J.
- Welborn P.: Marketing in the 21st century, F06:166
- Welbourn C.: Identification of synthetic diamonds: Present status and future developments, F06:34-35
- Welbourn C.M., Cooper M., Spear P.M.: De Beers natural versus synthetic diamond verification instruments, F96:156-169
- Welbourn C.M., see also King J.M. and Rooney M.-L.T.
- Welch C.W., see Shigley J.E.
- Weldon R.: Photographing phenomenal gemstones, F06:144
- Weldon R., see also Dirlam D.M., Shor R.
- Wenk H.-R., see Vasconcelos P.M.
- Wentzell C.Y.: Cultured abalone blister pearls from New Zealand, F98:184-200
- Wentzell C.Y., see also Johnson M.L.
- White J.S., see Dietrich R.V.
- Wickstrom D.: The auction house as a purveyor of high-end jewelry, F06:52
- Wildman M., see Hanano J.
- Wise M.A.: Geology of "true" hiddenite deposits, F06:152
- Wise R.W.: Queensland boulder opal, Sp93:4-15
- Woensdregt C.F., see Gübelin E.J.
- Wood D.L., see Nassau K.
- Woodring S., see Hainschwang T.
- Woodruff R.E., Fritsch E.: Blue pectolite from the Dominican Republic, W89:216-225
- Wu S.-T.T., see Fritsch E.
- Wyart J., Bariand P., Filippi J. (trans. by C. Stockton): Lapis-lazuli from

Sar-e-Sang, Badakhshan, Afghanistan, W81:184-190

Y

- Yager T.R.: Recent trends in world gem production, F06:144-145
- Yakoumelos G., see Guo J.
- Yantzer P.: The AGS performance cut grading system, F06:160
- Yasuda T., see Sunagawa I.
- Ye H., see Li J.
- Yokoyama Y., see Abduriyim A.
- Yuan J.C.C.: Investigation by synchrotron X-ray diffraction topography of the crystal structure defects in colored diamonds (natural, synthetic, and treated), F06:93
- Yurkiewicz P.G., see Hanano J.
- Yurman D.:
Creating a luxury brand, F99:104
Jewelry design and brand creation: Designing over the years, F06:44

Z

- Zaitsev A.M., see Dobrinets I.A.
- Zaitsev A.N., Zaitseva O.A., Buyko A.K., Keller J., Klaudius J., Zolotarev A.A.: Gem-quality yellow-green haüyne from Oldoinyo Lengai volcano, northern Tanzania, F09:200-203
- Zaitseva O.A., see Zaitsev A.N.
- Zang J.W., see Johnson M.L.
- Zansheng L.T., see Akamatsu S.
- Zecchini P., see Martin F.
- Zenil A.R., see Coenraads R.R.
- Zhernakov V.I., see Laskovenkov A.F.
- Zolotarev A.A., see Zaitsev A.N.
- Zucker B.: From Alexander the Great to Elihu Yale: A study of India and the diamond trade, F06:160-161
- Zudin N.G., see Titkov S.V.
- Zwaan J.C.: The Sandawana model of emerald formation, F06:111
- Zwaan J.C., Kanis J., Petsch E.J.: Update on emeralds from the Sandawana mines, Zimbabwe, Su97:80-100
- Zwaan J.C., Seifert A.V., Vrána S., Laurs B.M., Ancker B., Simmons W.B., Falster A.U., Lustenhouwer W.J., Muhlmeister S., Koivula J.L., Garcia-Guillerminet H.: Emeralds from the Kafubu area, Zambia, Su05:116-148
- Zwaan J.C., see also Laurs B.M.
- Zwaan P.C.:
Enstatite, cordierite, kornepine, and scapolite with unusual properties from Embilipitiya, Sri Lanka, W96:262-269
Sri Lanka: The gem island, Su82:62-71