

Index

Volume 44

Numbers 1-4

SUBJECT INDEX

This index gives the first author (in parentheses), issue, and inclusive pages of the article in which the subject occurs for all feature articles, Notes & New Techniques, and Rapid Communications that appeared in Volume 44 of *Gems & Gemology*. For the Gem News International (GNI) and Lab Notes (LN) sections, inclusive pages are given for the item. The Winter 2008 Book Reviews section is available only as an online supplement, beginning with page S1. The Author Index (p. S18) provides the full title and coauthors (if any) of the articles cited.

A

Afghanistan

- afghanite and haüyne from Badakhshan (GNI)Sp08:79-80
- spodumene from (GNI)F08:277-279
- tourmaline and simulants purchased in Kandahar (GNI)Su08:187-188

Afghanite

- from Afghanistan (GNI)Sp08:79-80

Agate

- dendritic, from India (GNI)F08:262-263

Almandine, see Garnet

American Gem Society

- and color grading of D-to-Z diamonds (King)W08:296-321

Andesine

- from Tibet and Inner Mongolia—mining of (GNI)W08:369-371; properties of (GNI)W08:371-373

Aquamarine

- inclusions in (GNI)F08:275-276; (LN)Sp08:66
- separation from Maxixe-type and hydrothermal synthetic blue beryl (Adamo)F08:214-226
- trapiche (GNI)F08:275-276

Asterism

- in topaz from Brazil (GNI)Su08:182-183

Auctions

- of the Wittelsbach Blue diamond (Dröschel)W08:348-363

B

Ballerina Pearl Co., see Pearl, cultured

Beryl

- Maxixe-type (Adamo)F08:214-226
- orange, from India (GNI)Su08:167
- see also Aquamarine, Emerald

Beryl, synthetic

- hydrothermal blue (Adamo)F08:214-226

Bleaching

- of cultured pearls—to create “chocolate” color (Du Toit)F08:234-241; to create non-“chocolate” colors (LN)Su08:159-160

Book reviews

- Amazonite: Mineralogy, Crystal Chemistry, Typomorphic Features* (Ostrooumov, Platonov, and Popov)F08:286
- American Mineral Treasures* (Staebler and Wilson, Eds.)F08:284
- Bulgari* (Triossi and Mascetti)W08:S2
- Crazy About Jewelry! The Expert Guide to Buying, Selling and Caring for Your Jewelry* (Eisen)W08:S3
- The Diamond Handbook: A Practical Guide to Diamond Evaluation*, 2nd ed. (Newman)F08:284-285
- Diamond Ring Buying Guide*, 7th ed. (Newman)Su08:194
- Diamonds Are Waiting for You* (Holland)Sp08:99
- The Emerald Book* (Durlabhji, Fernandes, and Durlabhji, Eds.)Sp08:97-98
- Fleischer's Glossary of Mineral Species 2008* (Back and Mandarino)F08:286
- Gems & Minerals* (Landmann)F08:285-286
- Gems of the World* (Oldershaw)F08:285-286
- Gemstones: Enchanting Gifts of Nature* (Karanth)F08:286
- In Gold We Trust: Social Capital and Economic Change in the Italian Jewelry Towns* (Gaggio)Sp08:98-99
- Guidebook to the Pegmatites of Western Australia* (Jacobson, Calderwood, and Grguric)W08:S2
- Henry Dunay: A Precious Life* (Proddow and Fasel)Su08:192-193
- Infrared Reflection Spectrometry in Advanced Mineralogy, Gemology and Archaeometry* (Ostrooumov)F08:286
- Jewelry Savvy: What Every Jewelry Wearer Should Know* (Sliwa and Stanley)Sp08:98
- Laboratory Grown Diamonds*, 2nd ed. (Deljanin and Simic)Su08:194
- Late Antique and Early Christian Gems* (Jeffery Spier)Sp08:99
- Photoatlas of Inclusions in Gemstones, Volume 3* (Gübelin and Koivula)W08:S1

Rings: Jewelry of Power, Love and Loyalty (Scarbrick)Sp08:97

Russian Gemstones Encyclopedia (Bukanov)Su08:193

Safety Solutions (MJSAPress)Sp08:99

Southwestern Indian Jewelry: Crafting New Traditions (Cirillo)F08:286

Tables of Gemstone Identification (Dedeyne and Quintens)Su08:194

Traditional Jewelry of India (Untracht)F08:286

Verdura: The Life and Work of a Master Jeweler (Corbett)Su08:194

Volodarsk-Volynski: Mineralogy of the Volynian Chamber Pegmatites, Ukraine (Pavlishin and Dovgyi)Su08:193-194

Brazil

star and cat's-eye topaz from (GNI)Su08:182-183

Brown, Grahame

obituary (GNI)Sp08:94

Burma, see Myanmar

C

Calcareous concretions, see Pearl, non-nacreous

Calcite

inclusions in grossular (LN)F08:259

California, see United States

Cathodoluminescence

to identify yellow synthetic diamond melee (Kitawaki)F08:202-213

Chalcedony

dyed to resemble chrysocola (GNI)W08:379

“Challenge,” see *Gems & Gemology*

Chatoyancy

in lawsonite from California (GNI)Su08:171

in peridot from a pallasitic meteorite (GNI)Su08:177

in topaz from Brazil (GNI)Su08:182-183

Chemical composition

of blue beryl, natural and synthetic (Adamo)F08:214-226

of emerald from Norway

(Rondeau)Su08:108-122
of johachidolite from Myanmar
(Chadwick)F08:246-251
of ruby and sapphire from Tanzania
(Schwarz)W08:322-347
of tourmaline—copper contaminated
(LN)W08:367-368; from Mozambique
(GNI)F08:273-275; Paraíba-type
(Lauris)Sp08:4-31
see also Spectroscopy [various]; specific
gem materials

Chemical vapor deposition [CVD], see
Diamond, synthetic

China

Andesine-labradorite—red, possibly dif-
fusion treated (GNI)Su08:166-167;
from Tibet and Inner Mongolia
(GNI)W08:369-373

“Chocolate pearls,” see Pearl, cultured

Chrysocolla, see Chalcedony

Citrine, see Quartz

Clam pearl, see Pearl, non-nacreous

Clinochlore

chromium-rich (kämmererite), from
Turkey (GNI)Su08:168-169

Coating

of diamond, history of
(Overton)Sp08:32-55
and diffusion treatment of topaz
(Gabasch)Su08:148-154
of engraved black pearls
(GNI)Su08:174-175
of tanzanite (McClure)Su08:142-155

Colombia

emerald crystal in quartz from La Pita
(LN)F08:258
nomenclature for emeralds from
(Ringsrud)F08:242-245

Color, cause of

in diamonds, purple, from Siberia
(Titkov)Sp08:56-64
in emerald from Norway
(Rondeau)Su08:108-122
in feldspar-quartz-muscovite rock
(GNI)F08:266-267
in johachidolite from Myanmar
(Chadwick)F08:246-251
in Paraíba-type tourmaline
(Lauris)Sp08:4-31

Color change

in fluorite (GNI)F08:263
in sapphire with lead-glass filling
(GNI)Sp08:88

Color grading, see Diamond, color grading
of D-to-Z

Color zoning

in diamonds, purple, from Siberia
(Titkov)Sp08:56-64
in Paraíba-type tourmaline from
Mozambique (Lauris)Sp08:4-31
in ruby and sapphire from Tanzania
(GNI)F08:270-272;
(Schwarz)W08:322-347
in synthetic melee diamonds, yellow
(Kitawaki)F08:202-213

Colorimeter

use of, in color grading of D-to-Z dia-

monds (King)W08:296-321

Computer software

used in modeling of the Koh-i-Noor dia-
mond (Sucher)Su08:124-141

Conch pearl, see Pearl, non-nacreous

Conference reports

Gemological LA-ICP-MS User Group
(GNI)Sp08:90-91
International Pearl Convention
(GNI)Sp08:91-92
Scottish Gemmological Association
(GNI)Su08:188-189
Sinkankas Garnet Symposium
(GNI)Su08:188
Winter Conference on Plasma
Spectrochemistry 2008 (GNI)Sp08:90

Coral

and plastic composite (LN)F08:253

Corundum, see Ruby; Sapphire

Crookes, Sir William

and diamond irradiation
(Overton)Sp08:32-55

Cubic zirconia

used in modeling of the Koh-i-Noor dia-
mond (Sucher)Su08:124-141

Cultured pearl, see Pearl, cultured

**CVD [chemical vapor deposition]-grown
synthetic diamonds**, see Diamond,
synthetic

D

Danburite

yellow, from Tanzania (GNI)Su08:169-
171

Deepdene diamond

irradiation of (Overton)Sp08:32-55

Diamolite, see Instruments

Diamond

burned surface pattern on (LN)F08:256
color grading of D-to-Z (King)W08:296-
321
crystal with mixed growth
(GNI)Sp08:74-75
from Myanmar, new localities
(GNI)Sp08:82
type IIa, with strong phosphorescence
(GNI)Su08:164-165

Diamond, colored

black (LN)F08:254-255
brown-yellow, type-zoned (LN)F08:364-
365
brownish-greenish-yellow with dissolu-
tion features (LN)Sp08:66-67
orange, with 594 nm feature
(LN)Su08:156-157
pinkish brown (LN)F08:257-258
purple, from Siberia (Titkov)Sp08:56-64
reddish orange type Ib (LN)F08:255-256
Wittelsbach Blue (Dröschel)W08:348-
363
see also Deepdene diamond; Diamond,
synthetic; Diamond treatment

Diamond, inclusions in

bird-like feature (GNI)Su08:164
crystal formation resembling flying

saucer (LN)Su08:157-158
dissolution and growth features visible
with DiamondView (LN)Sp08:66-67
hydrogen cloud—in black diamond
(LN)F08:254-255; with mask pattern
(LN)F08:257
mantle suite, in pinkish brown
(LN)F08:257-258
olivine with cleavage fracture
(LN)F08:256
in yellow synthetic melee
(Kitawaki)F08:202-213

Diamond, synthetic

CVD—experimental, from LIMHP
(GNI)Su08:185-186; first sample sub-
mitted for GIA grading (LN)Sp08:67-
69; HPHT-treated sample submitted
for Dossier grading (LN)W08:365-
367; with traces of boron
(LN)Su08:158-159
melee, yellow—identification of
(Kitawaki)F08:202-213; in the mar-
ketplace (Keller)F08:201

Diamond treatment

glass filled, with subtle flash-effect col-
ors (LN)Su08:157
history of (Overton)Sp08:32-55
HPHT, of CVD synthetic
(LN)W08:365-367
irradiation produces color concentra-
tions (LN)F08:254-255
see also Diamond, synthetic

DiamondDock, see Instruments

DiamondLite, see Instruments

DiamondView instrument

and CVD synthetic diamond
(LN)Sp08:67-69, Su08:158-159,
W08:365-367
dissolution and growth features in dia-
mond revealed with (LN)Sp08:66-67
indicates two black diamonds cut from
the same crystal (LN)Fa08:254-255
and mixed-type IIa/IIb fancy-color dia-
mond (LN)W08:364-365
reveals strong phosphorescence in col-
orless diamond (GNI)Su08:164-165

Diffusion treatment

indication in “red andesine” from
China (GNI)Su08:166-167
and the surface coloration of topaz
(Gabasch)Su08:148-154

Diopside

inclusions—in rose quartz
(GNI)F08:276-277; in scapolite
(GNI)F08:277

Durability

of treated “chocolate” and natural
black Tahitian cultured pearls (Du
Toit)F08:234-241

Dyeing

of chalcedony to resemble chrysocolla
(GNI)W08:379

E

Editorials

“Challenges, Changes, and New

Directions" (Keller)W08:295
"A New Gemological Challenge:
Synthetic Diamond Melee"
(Keller)F08:201
"Ten Reasons Why You Should Attend
the 2009 GRC" (Keller)Su08:107
EDXRF, see Spectroscopy, energy-
dispersive X-ray fluorescence
Electron microprobe analysis, see
Chemical composition
"Elephant pearl," see Pearl, non-nacreous

Emerald

from Byrud, Norway
(Rondeau)Su08:108-122
filled voids in (LN)Sp08:69-70
gota de aceite and nomenclature of
Colombian (Ringsrud)F08:242-245
inclusion in quartz crystal (LN)F08:258
from North Carolina (GNI)Sp08:75-76

Enhancement, see Coating; Diamond treat-
ment; Dyeing; Heat treatment;
Treatment; specific gem materials

Errata

to list of 2008 *Gems & Gemology*
Challenge winners (F08:203)—
include Jared Nadler (W08:S3)
to "Sapphire with a double star"
(LN)W07:365—name of client omit-
ted (LN)Sp08:73
to two book reviews, *Amazonite . . .*
(Ostrooumov, Platonov, and
Popov)F08:286 and *Infrared*
Reflection Spectrometry . . .
(Ostrooumov) F08:286—author name
misspelled Oustoumov (W08:S3)

F

Faceting

of the Koh-i-Noor diamond
(Sucher)Su08:124-141
large number of facets on topaz
(GNI)Sp08:85-86

Fakes, see specific gem materials simulated

Feldspar

andesine-labradorite—from China, pos-
sibly diffusion treated (GNI)Su08:
166-167; from Tibet and Inner
Mongolia (GNI)W08:369-373
sodic plagioclase—blue-green, colored
by copper (LN)Su08:160-161; from
Tanzania and Kenya (GNI)Sp08:83-85
see also Rock

Filling, fracture or cavity

in diamond—history of
(Overton)Sp08:32-55; produces subtle
flash-effect colors (LN)Su08:157
in emerald and ruby (LN)Sp08:69-70
lead-glass, in color-change sapphire
(GNI)Sp08:88

Fluorescence, ultraviolet [UV]

of D-to-Z diamonds, impact on color
grading (King)W08:296-321
of johachidolite from Myanmar
(Chadwick)F08:246-251
see also DiamondView instrument;

specific gem materials

Fluorite

color-change, mistaken for garnet
(GNI)F08:263

Forsterite

colorless—from Myanmar
(GNI)F08:263-265; from Tajikistan
(GNI)F08:265-266

Fossils

"Neptunian" conch shell beads, repre-
sented as (GNI)W08:376-377

G

Garnet

almandine-spessartine from Tanzania
(GNI)Su08:165-166
color-change fluorite imitation of
(GNI)F08:263
see also Grossular; Spessartine

Gemological Research Conference 2009

postponement of (Keller)W08:295
reasons to attend (Keller)Su08:107

Gems & Gemology

"Challenge"—Sp08:95-96; winners and
answers F08:283
Edward J. Gübelin Most Valuable
Article Award Sp08:1-2
receives journalism and publishing
awards (GNI)F08:281

Geographic origin

of Paraíba-type tourmaline from
Mozambique (Laur)Sp08:4-31
of rubies and sapphires from Winza,
Tanzania (Schwarz)W08:322-347

GIA (Gemological Institute of America)

Laboratory

color grading of D-to-Z diamonds at
(King)W08:296-321

Glass

devitrified, inclusions in (LN)Sp08:70-
71
as filling in color-change sapphire
(GNI)Sp08:88-89
as filling in diamond, history of
(Overton)Sp08:32-55
imitation of rubellite (GNI)186-187
Libyan desert, archeological artifact
resembling (GNI)Su08:181-182

Gota de aceite, see Emerald

Grading reports, see Diamond

Graining

in diamond—(LN)Sp08:66-67; whitish,
effect on color grading
(King)W08:296-321
in synthetic diamond, CVD
(LN)Su08:158-159

Great Mogul diamond

compared to the Koh-i-Noor
(Sucher)Su08:124-141

Grossular

with calcite "melt" inclusion identified
by Raman (LN)F08:259

Growth structures

in corundum from Winza, Tanzania

(Schwarz)W08:322-347
dissolution and growth features in dia-
mond (LN)Sp08:66-67
see also DiamondView instrument

H

Haiyune

from Afghanistan (GNI)Sp08:79-80

Heat treatment

of Paraíba-type tourmaline from
Mozambique (Laur)Sp08:4-31
of ruby and sapphire from Tanzania
(Schwarz)W08:322-347
of synthetic sapphire, flame-fusion
(GNI)Sp08:87-88
of zircon (LN)Sp08:73
see also Diamond treatment;
Treatment

**High-pressure, high-temperature [HPHT]
synthesis**, see Diamond, synthetic

**High-pressure, high-temperature [HPHT]
treatment**, see Diamond treatment

History

of color grading of D-to-Z diamonds
(King)W08:296-321
of diamond treatment
(Overton)Sp08:32-55
of the Koh-i-Noor diamond
(Sucher)Su08:124-141
of the Wittelsbach Blue diamond
(Dröschel)W08:348-363

HPHT (high pressure, high temperature),
see Diamond, synthetic; Diamond
treatment

I

Imitations, see specific gem materials
imitated

Inclusions

in aquamarine—(Adamo)F08:214-226;
kelp-like (LN)Sp08:66; from Pakistan
and Namibia (GNI)F08:275-276
in beryl, Maxixe-type and hydrothermal
synthetic blue (Adamo)F08:214-226
calcite "melt," in grossular
(LN)F08:259
in danburite (GNI)Su08:169-171
dendritic, in agate (GNI)F08:262-263
in emerald—from Colombia
(Ringsrud)F08:242-245; from Norway
(Rondeau)Su08:108-122
in forsterite (GNI)F08:263-266
in glass, devitrified (LN)Sp08:70-71
nail-head, in synthetic citrine
(GNI)W08:375-376
in quartz—covellite dendrites
(LN)W08:367; green fluid
(LN)Su08:161; rose, from Madagascar
(GNI)F08:276-277
in ruby—crystals inside crystals
(LN)Su08:161-162; from Tanzania
(Schwarz)W08:322-347
in sapphire—pinpoints *en echelon*
(GNI)Su08:180-181; from Tanzania

(Schwarz)W08:322-347; trapiche pattern in yellow (LN)F08:259-260
 in scapolite, diopside (GNI)F08:277
 in spessartine from Tanzania (GNI)Sp08:76-78
 in spodumene from Afghanistan (GNI)F08:277-279
 in synthetic fire opal (Choudhary)F08:228-233
 in synthetic ruby, Verneuil (GNI)F08:279-280
 in synthetic sapphire—(LN)Sp08:72-73; heat-treated flame-fusion (GNI)Sp08:87-88
 in tourmaline—Paraíba-type from Mozambique (Laurs)Sp08:4-31; of tourmaline (GNI)F08:272-273
 in vanadinite (GNI)Su08:184-185
 in zircon, heat-treated (LN)Sp08:73
 see also Diamond, inclusions in

India

dendritic agate from Madhya Pradesh (GNI)F08:262-263
 orange beryl from (GNI)Su08:167

Infrared spectroscopy, see Spectroscopy, infrared

Inner Mongolia

andesine from Guyang (GNI)W08:369-373

Instruments

DiamondDock, Diamolite, DiamondLite (King)W08:296-321
 see also Cathodoluminescence; DiamondView instrument; Spectrometry [various]; Spectroscopy [various]

Iridescence

as indication of coating on tanzanite (McClure)Su08:142-155

Isotope analysis

oxygen, of ruby and sapphire from Winza, Tanzania (Schwarz)W08:322-347

J

Jade, see Jadeite

Jadeite

at Myanma Gem Emporium 1992-2007 (GNI)Sp08:89-90
 U.S.-Myanmar import restrictions on (GNI)F08:280-281

“Jambolite”

feldspar-quartz-muscovite rock colored by copper minerals (GNI)F08:266-267

Jeremejevitte

59.58 ct, from Madagascar (GNI)Sp08:74-75

Johachidolite

from Myanmar (Chadwick)F08:246-251

K

Kenya

sodic plagioclase from Kioo Hill (GNI)Sp08:83-85

update on the John Saul ruby mine (GNI)F08:267-269

Koh-i-Noor diamond

modeling of, by laser and X-ray scanning (Sucher)Su08:124-141

Kunzite

from Pala District, California (GNI)W08:373-374

L

LA-ICP-MS, see Spectrometry, laser ablation-inductively coupled plasma-mass

Laser drilling

of diamond, history of (Overton)Sp08:32-55

Laser scanning

to model the Koh-i-Noor diamond (Sucher)Su08:124-141

Lawsonite

from California (GNI)Su08:171

Liddicoat, Richard T.

role in developing the GIA system for color grading D-to-Z diamonds (King)W08:296-321

Lighting methods

for color grading of D-to-Z diamonds (King)W08:296-321

Luminescence, see Fluorescence, ultraviolet [UV]; Phosphorescence

M

Madagascar

59.58 ct jeremejevitte from (GNI)Sp08:74-75
 rose quartz from Ihosy (GNI)F08:276-277
 scapolite from Amboasary (GNI)F08:277

Manganaxinite

blue, represented as tanzanite (GNI)Sp08:81

Marketing and distribution

at Myanma Gem Emporium 1992-2007 (GNI)Sp08:89-90

Master stones

used to color grade D-to-Z diamonds (King)W08:296-321

“Mexifire,” see Opal, synthetic

Mica

green (paragonite), from Pakistan (GNI)Su08:172-173

Microscopic techniques

, see Inclusions

Mining and exploration

for beryl and quartz in Pala District, California (GNI)Sp08:82-83
 for emerald in Byrud, Norway (Rondeau)Su08:108-122
 for ruby and sapphire in Winza, Tanzania (Schwarz)W08:322-347
 for tourmaline in Mozambique (Laurs)Sp08:4-31
 update on the John Saul ruby mine, Kenya (GNI)F08:267-269

see also specific countries and specific gem materials

Mogok, see Myanmar

Mongolia, see Inner Mongolia

Most Valuable Article, see *Gems & Gemology*

Mozambique

tourmaline—from Muva (GNI)F08:273-275; Paraíba-type, from Mavuco (Laurs)Sp08:4-31

Myanmar

forsterite from Mogok, colorless (GNI)F08:263-265
 gem market—Myanma Gem Emporium 1992-2007 (GNI)Sp08:89-90; in Taunggyi (GNI)Sp08:82
 johachidolite from (Chadwick)F08:246-251
 new gem localities in (GNI)Sp08:82
 ruby from Nanyaseik (GNI)F08:269-271
 U.S. import restrictions on gems from (GNI)F08:280-281

N

Nigeria

tourmaline from, with tourmaline inclusion (GNI)F08:272-273

Nomenclature

gota de aceite and Colombian emeralds (Ringsrud)F08:242-245
 of “Paraíba” tourmaline (Laurs)Sp08:4-31

North Carolina, see United States

Norway

emerald from Byrud (Rondeau)Su08:108-122

O

Obituaries

Brown, Grahame (GNI)Sp08:94
 Switzer, George S. (GNI)Su08:190

Oligoclase, see Feldspar

Olivine group

variation in properties according to composition (GNI)F08:263-265
 see also Forsterite, Peridot

Opal

with synthetic-like growth pattern (GNI)Su08:173-174

Opal, synthetic

fire, marketed as “Mexifire” (Choudhary)F08:228-233

Oxygen isotope analysis

of ruby and sapphire from Winza, Tanzania (Schwarz)W08:322-347

P

Pakistan

green mica from (GNI)Su08:172-173

Pallasite, see Peridot

“Paraíba” tourmaline, see Tourmaline

Pearl, cultured

Ballerina “chocolate pearls,” durability of color in (Du Toit)F08:234-241
beadless—mantle-grown, from *Pinctada maxima* (GNI)Su08:175-176; twinned (GNI)Su08:176-177
black, engraved and coated (GNI)Su08:174-175
bleached, non-“chocolate” (LN)Su08:159-160

Pearl, non-nacreous

clam, and shell (LN)Sp08:71-72
conch, multicolored (LN)Sp08:72
“elephant pearl” imitation (GNI)Sp08:86-87
“quahog” (GNI)W08:374-375

Peridot

cat’s-eye, from meteorite (pallasite) (GNI)Su08:177
see also Olivine group

Phosphorescence

red, of the Wittelsbach Blue diamond (Dröschel)W08:348-363
see also Luminescence

Photography

used in modeling of the Koh-i-Noor diamond (Sucher)Su08:124-141

Plagioclase, see Feldspar

Plastic

composite of coral and (LN)F08:253

Q

“Quahog” pearl, see Pearl, non-nacreous

Quartz

citrine with eye-visible Brazil-law twinning (LN)F08:252-253
covellite dendrites in (LN)W08:367
emerald inclusion in (LN)F08:258
green fluid inclusions in (LN)Su08:161
rose, with inclusions, from Madagascar (GNI)F08:276-277

Quartz, synthetic

citrine (GNI)W08:375-376
purple-blue (GNI)W08:377-379
sold as tourmaline (GNI)Su08:187-188

R

Raman spectroscopy, see Spectroscopy, Raman

Rock

feldspar-quartz-muscovite, colored by copper minerals (GNI)F08:266-257

Rose quartz, see Quartz

Ruby

glass-filled—broad variety available at the Tucson shows (GNI)Sp08:74-75; with voids (LN)Sp08:69-70
inclusions within inclusions in (LN)Su08:161-162
from the John Saul mine in Kenya (GNI)F08:267-269
from Myanmar—Nanyaseik (GNI)F08:269-271; new localities (GNI)Sp08:82; U.S. import restric-

tions on (GNI)F08:279-280
from Winza, Tanzania—at BaselWorld (GNI)Su08:177-178; mining and exploration for (GNI)Su08:178-179; mining, geology, and gemological characterization of (Schwarz)W08:322-347

Ruby, synthetic

Verneuil, with natural-appearing inclusions (GNI)F08:279-280

Russia

diamond, purple, from Siberia (Titkov)Sp08:56-64

S

Sapphire

color-change, with lead-glass filling (GNI)Sp08:88
color zoning in (GNI)F08:270-272
inclusions in, *en echelon* pinpoints (GNI)Su08:180-181
from Myanmar, new localities (GNI)Sp08:82
rare-earth elements in (LN)Su08:162-163
from Winza, Tanzania—mining and exploration for (GNI)Su08:178-179; mining, geology, and gemological characterization of (Schwarz)W08:322-347; zoned crystal from (GNI)F08:270-272
yellow, with trapiche pattern (LN)F08:259-260

Sapphire, synthetic

green, with blue inclusions (LN)Sp08:72-73
heat-treated flame fusion (GNI)Sp08:87-88

Scapolite

from Madagascar, with diopside inclusions (GNI)F08:277

Serpentine

archeological artifact resembling Libyan desert glass (GNI)Su08:181-182

Shell

“Neptunian” conch beads (GNI)W08:376-377

Shiple, Robert M.

role in developing the GIA system for color grading D-to-Z diamonds (King)W08:296-321

Sodalite group, see Afghanite, Haiyine

Spectrometry, laser ablation—inductively coupled plasma—mass [LA-ICP-MS]

of andesine from Tibet and Inner Mongolia (GNI)W08:371-373
of danburite from Tanzania (GNI)Su08:169-170
of emerald from Norway (Rondeau)Su08:108-122
of johachidolite (Chadwick)F08:246-251
of Paraíba-type tourmaline from Mozambique (Laurs)Sp08:4-30
of ruby from Winza, Tanzania (Schwarz)W08:322-347

of sapphire—with a high concentration of rare-earth elements (LN)Su08:162-163; from Winza, Tanzania (Schwarz)W08:322-347
of tanzanite, coated (McClure)Su08:142-147

Spectroscopy, energy-dispersive X-ray fluorescence [EDXRF]

of andesine from Tibet and Inner Mongolia (GNI)W08:371-373
of forsterite, colorless (GNI)F08:263-266
of induced copper-contaminated tourmaline (LN)W08:367-368
of johachidolite (Chadwick)F08:246-251
of lead glass-filled color-change sapphire (GNI)Sp08:88
of ruby and sapphire from Winza, Tanzania (Schwarz)W08:322-347
of synthetic fire opal (Choudhary)F08:228-233

Spectroscopy, infrared

of aquamarine, Maxixe-type beryl, and hydrothermal synthetic blue beryl (Adamo)F08:214-226
of diamond—black (LN)F08:254-255; purple, from Siberia (Titkov)Sp08:56-64; zoned brown-yellow type IIa/IIb (LN)W08:364-365
of emerald from Norway (Rondeau)Su08:108-122
of opal, synthetic and natural fire (Choudhary)F08:228-233
of ruby and sapphire from Winza, Tanzania (Schwarz)W08:322-347
of synthetic diamond (Kitawaki)F08:202-213

Spectroscopy, photoluminescence

of CVD synthetic diamond—(LN)Sp08:67-69; experimental (GNI)Su08:185-186; HPHT-treated (LN)W08:365-367
of diamond—purple, from Siberia (Titkov)Sp08:56-64; type IIa, with strong phosphorescence (GNI)Su08:164-165
of forsterite (GNI)F08:263-265

Spectroscopy, radiance

of light sources used for diamond grading (King)W08:296-321

Spectroscopy, Raman

of devitrified inclusions in glass (LN)Sp08:70-71
of diopside—in rose quartz (GNI)F08:276-277; in scapolite (GNI)F08:277
of feldspar-quartz-muscovite rock colored by copper minerals (GNI)F08:266-257
of fluorite, color-change (GNI)F08:263
of forsterite (GNI)F08:263-266
of grossular and epidote in rose quartz (GNI)F08:276-277
of johachidolite from Myanmar (Chadwick)F08:246-251
of lepidolite inclusions in tourmaline (Laurs)Sp08:4-31
of multiphase inclusions in emerald from Norway (Rondeau)Su08:108-122

of olivine in pinkish brown diamond (LN)F08:257-258
of “quahog” pearls (GNI)W08:374-375
of sodic plagioclase inclusions in tourmaline (Laurs)Sp08:4-31
of triploidite inclusions in aquamarine (LN)Sp08:66

Spectroscopy, UV-Vis-NIR

of aquamarine, Maxixe-type beryl, and hydrothermal synthetic blue beryl (Adamo)F08:214-226
of beryl, orange, from India (GNI)Su08:167
of chromium-rich clinocllore (kämmererite) from Turkey (GNI)Su08:168-169
of diamond—orange, treated (LN)Su08:156-157; purple, from Siberia (Titkov)Sp08:56-64; reddish orange type Ib (LN)F08:255-256
of emerald from Norway (Rondeau)Su08:108-122
of manganaxinite (GNI)Sp08:81
of mica from Pakistan with Cr and V (GNI)Su08:172-173
of plagioclase feldspar from Tanzania (GNI)Sp08:83-85
of ruby and sapphire from Winza, Tanzania (Schwarz)W08:322-347
of synthetic diamond, brown CVD, with boron (LN)Su08:158-159
of tourmaline, Paraíba-type, from Mozambique (Laurs)Sp08:4-31

Spectroscopy, X-ray photoelectron (XPS)

of coated and diffusion-treated topaz (Gabasch)Su08:148-154

Spessartine

from Tanzania (GNI)Sp08:76-78
see also Garnet

Sphene

76.27 ct (GNI)Sp08:74-75

Spinel

from Tanzania (GNI)Sp08:74-75

Spodumene

from Afghanistan (GNI)F08:277-279
see also Kunzite

Switzer, George S.

obituary (GNI)Su08:190

Synthetics

see specific gem materials

T

Tahitian cultured pearl, see Pearl, cultured

Tajikistan

colorless forsterite from the Pamir Mountains (GNI)F08:265-266

Tanzania

almandine-spessartine from (GNI)Su08:165-166
danburite, yellow, from the Morogoro area (GNI)Su08:169-171
oligoclase from (GNI)Sp08:83-85
ruby and sapphire from Winza—mining and exploration for (GNI)Su08:178-179; mining, geology, and gemological characterization of (Schwarz)W08:322-347; zoned crystal from (GNI)F08:270-272
spessartine from Loliondo (GNI)Sp08:76-78
spinel from Mahenge (GNI)Sp08:74-75

Tanzanite

coated (McClure)Su08:142-155

Tibet

andesine from the Xigazê area (GNI)W08:369-373

Topaz

coating and diffusion treatment of (Gabasch)Su08:148-154
faceting of (GNI)Sp08:85-86
star and cat's-eye, from Brazil (GNI)Su08:182-183

Tourmaline

crystal with inclusion of tourmaline, from Nigeria (GNI)F08:272-273
glass imitation of rubellite (GNI)Su08:186-187
from Mozambique—Muva (GNI)F08:273-275; Paraíba-type (Laurs)Sp08:4-31
from Myanmar, new localities (GNI)Sp08:82
and simulants from Afghanistan (GNI)Su08:187-188
treatment by copper contamination (LN)W08:367-368

Trapiche

aquamarine (GNI)F08:275-276
sapphire, yellow (LN)F08:259-260

Treatment

of diamond, history of (Overton)Sp08:32-55
durability of color in treated “chocolate pearls” (Du Toit)F08:234-241
of synthetic ruby (GNI)F08:279-280
of tanzanite, coating (McClure)Su08:142-155
of topaz, coating and diffusion

(Gabasch)Su08:148-154

of tourmaline, Paraíba-type, from Mozambique (Laurs)Sp08:4-31
see also Bleaching; Coating; Diamond treatment; Diffusion treatment; Dyeing; Heat treatment; specific gem materials

Tucson Gem and Mineral shows

highlights of (GNI)Sp08:74-78

Turkey

Cr-rich clinocllore from (GNI)Su08:168-169

Turquoise

Persian, from Iran (GNI)Su08:183-184

Twinning, Brazil-law

eye-visible, in citrine (LN)Fa08:252-253

U

Ultraviolet, see Fluorescence

United States

emerald from North Carolina (GNI)Sp08:75-76
lawsonite from Marin County, California (GNI)Su08:171
Pala District, California—beryl and quartz from the Oceanview mine (GNI)Sp08:82-83; kunzite from the Elizabeth R mine (GNI)W08:373-374

V

Vanadinite

faceted yellow (GNI)Su08:184-185

W

Wittelsbach Blue diamond

history and characteristics of (Dröschel)W08:348-363

X

X-ray scanning

to model the Koh-i-Noor diamond (Sucher)Su08:124-141

Z

Zircon

heat-treated (LN)Sp08:73

Zoning, see Color zoning; specific gem materials

AUTHOR INDEX

This index lists, in alphabetical order, the authors of all feature articles, Notes & New Techniques, and Rapid Communications that appeared in the four issues of Volume 44 of *Gems & Gemology*, together with the full title and inclusive page numbers of each article and the issue (in parentheses). Full citation is given under the first author only, with reference made from coauthors.

A

- Abduriyim A., see Kitawaki H.
Adamo I., Pavese A., Prospero L., Diella V., Ajò D., Gatta G.D., Smith C.P.: Aquamarine, Maxixe-type beryl, and hydrothermal synthetic blue beryl: Analysis and identification, 214–226 (Fall)
Ajò D., see Adamo I.

B

- Beaton D., see Laurs B.M.
Befi R., see Laurs B.M.
Bertel E., see Gabasch H.
Bhandari R., see Choudhary G.
Breeding C.M., see Chadwick K.M., Du Toit G., Laurs B.M., Titkov S.V.

C

- Carriere D.P., see Sucher S.D.
Chadwick K.M., Breeding C.M.: Color variations and properties of johachidolite from Myanmar, 246–251 (Fall)
Choudhary G., Bhandari R.: A new type of synthetic fire opal: Mexifire, 228–233 (Fall)

D

- Diella V., see Adamo I.
Dröschel R., Evers J., Ottomeyer H.: The Wittelsbach Blue, 348–363 (Winter)
Du Toit G., Shen A.H., Breeding C.M.: The color durability of “Chocolate Pearls” by Ballerina Pearl Co., 234–241 (Fall)
Du Toit G., see also Schwarz D.

E

- Erel E., see Schwarz D.
Evers J., see Dröschel R.

F

- Fallick A.E., see Schwarz D.
Falster A.U., see Laurs B.M.
Fritsch E., see Rondeau B.

G

- Gabasch H., Klauser F., Bertel E., Rauch T.: Coloring of topaz by coating and diffusion processes: An X-ray photoemission

study of what happens beneath the surface, 148–154 (Summer)

- Gatta G.D., see Adamo I.
Geurts R.H., see King J.M.
Gilbertson A.M., see King J.M.
Giuliani G., see Schwarz D.
Groat L., see Rondeau B.

H

- Hauzenberger C., see Schwarz D.

K

- Keller A.S.: “Challenges, Changes, and New Directions,” 295 (Winter)
A new gemological challenge: Synthetic diamond melee, 201 (Fall)
Ten reasons why *you* should attend the 2009 GRC, 107 (Summer)
King J.M., Geurts R.H., Gilbertson A.M., Shigley J.E.: Color grading “D-To-Z” diamonds at the GIA Laboratory, 296–321 (Winter)
Kitawaki H., Abduriyim A., Okano M.: Identification of melee-size synthetic yellow diamonds in jewelry, 202–213 (Fall)
Klauser F., see Gabasch H.
Klemm L., see Schwarz D.

L

- Laurs B.M., Zwaan J.C. (Hanco), Breeding C.M., Simmons W.B. (Skip), Beaton D., Rijdsdijk K.F., Befi R., Falster A.U.: Copper-bearing (Paraiba-type) tourmaline from Mozambique, 4–30 (Spring)
Laurs B.M., see also Schwarz D.

M

- Malsy A.-K., see Schwarz D.
McClure S.F., Shen A.H.: Coated tanzanite, 142–147 (Summer)
Mineeva R.M., see Titkov S.V.

N

- Nordrum F.S., see Rondeau B.

O

- Ohnenstetter D., see Schwarz D.
Okano M., see Kitawaki H.

- Ottomeyer H., see Dröschel R.
Overton T.W., Shigley J.E.: A history of diamond treatments, 32–55 (Spring)

P

- Pardieu V., see Schwarz D.
Pavese A., see Adamo I.
Peucat J.-J., see Rondeau B.
Prospero L., see Adamo I.

R

- Rauch T., see Gabasch H.
Rijdsdijk K.F., see Laurs B.M.
Ringsrud R.: *Gota de aceite*: Nomenclature for the finest Colombian emeralds, 242–245 (Fall)
Rondeau B., Fritsch E., Peucat J.-J., Nordrum F.S., Groat L.: Characterization of emeralds from a historical deposit: Byrud (Eidsvoll), Norway, 108–122 (Summer)

S

- Saul J.M., see Schwarz D.
Schmetzer K., see Schwarz D.
Schwarz D., Pardieu V., Saul J.M., Schmetzer K., Laurs B.M., Giuliani G., Klemm L., Malsy A.-K., Erel E., Hauzenberger C., Du Toit G., Fallick A.E., Ohnenstetter D.: Rubies and sapphires from Winza, central Tanzania, 322–347 (Winter)
Sergeev A.M., see Titkov S.V.
Shen A.H., see Du Toit G., McClure S.F.
Shigley J.E., see King J.M., Overton T.W., Titkov S.V.
Simmons W.B. (Skip), see Laurs B.M.
Smith C.P., see Adamo I.
Sucher S.D., Carriere D.P.: The use of laser and X-ray scanning to create a model of the historic Koh-i-Noor diamond, 124–141 (Summer)

T

- Titkov S.V., Shigley J.E., Breeding C.M., Mineeva R.M., Zudin N.G., Sergeev A.M.: Natural-color purple diamonds from Siberia, 56–64 (Spring)

Z

- Zudin N.G., see Titkov S.V.
Zwaan J.C. (Hanco), see Laurs B.M.